

AD-A066 975

AIR FORCE GEOPHYSICS LAB HANSCOM AFB MASS
CIRRUS PARTICLE DISTRIBUTION STUDY. PART 3. (U)
DEC 78 D J VARLEY

F/G 4/2


UNCLASSIFIED

AFGL-TR-78-0305

NL

| OF |
AD
A066975





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

LEVEL

(4)

AFGL-TR-78-0305
AIR FORCE SURVEYS IN GEOPHYSICS, NO. 404



AD A0 66975

Cirrus Particle Distribution Study, Part 3

DONALD J. VARLEY, Lt Col, USAF

DDC FILE COPY

11 December 1978

DDC
RECEIVED
APR 5 1979
C

Approved for public release; distribution unlimited.

METEOROLOGY DIVISION PROJECT 317J
AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MASSACHUSETTS 01731

AIR FORCE SYSTEMS COMMAND, USAF




79 04 03 031

This report has been reviewed by the ESD Information Office (OI) and is releasable to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER



Chief Scientist

Qualified requestors may obtain additional copies from the Defense Documentation Center. All others should apply to the National Technical Information Service.

9 Air Force surveys in geophysics,

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. REPORT TYPE & CATALOG NUMBER
14 AFGL-TR-78-0305	AFGL-TR-78-0305	404
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED	
6 CIRRUS PARTICLE DISTRIBUTION STUDY. PART 3	Scientific, Interim.	
7. AUTHOR(s)	6. PERFORMING ORG. REPORT NUMBER	
10 Donald J. Varley, Lt Col, USAF	AFSG No. 404	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	8. CONTRACT OR GRANT NUMBER(s)	
Air Force Geophysics Laboratory (LYC) Hanscom AFB Massachusetts 01731		
11. CONTROLLING OFFICE NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Air Force Geophysics Laboratory (LYC) Hanscom AFB Massachusetts 01731	16 317J0901 17 89	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE	
12 66 p.	11 11 December 1978	
	13. NUMBER OF PAGES	
	67	
	15. SECURITY CLASS. (of this report)	
	Unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Cirrus Cirriform clouds Particle distribution Cloud physics		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
This report describes particle spectra in thin cirrus clouds that were sampled on 18 March 1978 southwest of Albuquerque. The sampling aircraft, an MC-130E, flew near 31,000 ft (9.4 km) and acquired cloud particle data with its three PMS spectrometer probes. Ice crystals larger than 50 μ - micrometer were recorded for only about 17 min, but smaller ones were measured by an axial scattering probe for several more minutes. Listings of particle concentration vs size, averaged over consecutive 30 sec intervals for 75 min, are included.		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

79 04 03 031
409 578

Acknowledgments

I want to thank Dr. Arnold Barnes, Jr. and Dr. Robert Cunningham for their several suggestions that helped to improve the technical content of the draft manuscript. My appreciation is also extended to Ms. Barbara Main for processing auxiliary information and to Pat Sheehy for her typing assistance. Capt. Donald Cameron was the mission director of the flight from which the data discussed in this report were acquired. He was ably assisted in obtaining the data on the airplane by MSgt James Bush, TSgt Marshall Wright and SSgt Dennis LaGross, all of the AFGL Cloud Physics Branch.

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DOC	BLM Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
CLASSIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Gen.	SPECIAL
A	

Contents

1. INTRODUCTION	7
2. SYNOPTIC SITUATION	8
3. THE FLIGHT	11
4. DISCUSSION OF SAMPLING RESULTS	13
5. CONCLUDING COMMENTS	23
APPENDIX A: Average Particle Distributions for Varying Time Periods	25
APPENDIX B: Average Particle Distributions for 30-second Periods	29

Illustrations

1. Synoptic Surface Analysis for 2100Z, 18 March 1978	9
2. 500 mb Analysis for 0000Z, 19 March 1978	9
3a. GOES East Satellite Visible Picture, 2130Z, 18 March 1978	10
3b. GOES East Satellite Infrared Picture, 2200Z, 18 March 1978	10
4. Portion of Albuquerque Sounding for 0000Z, 19 March 1978	10
5. Variation of Aircraft Altitude and Outside Air Temperature While at Cirriform Cloud Levels	13

Illustrations

6. Variation of Ice Water Content With Time as Determined From Output of 3 PMS Spectrometer Probes	14
7. View Through Cockpit Windshield of Thin Cirrus Ahead of Aircraft at 2121Z	15
8. Approximately 25 Miles SW of Socorro at 2133Z	15
9. 2215Z	16
10. 2218Z	16
11A-H. Photomicrographs of Cirrus Particle Forms From Formvar Replicator Tape	18
12. Average Particle Spectrum During First Time Through Base of Thin Cirrus	19
13. Average Cirrus Particle Spectrum During a Second Period of the Flight When Larger Particles were Recorded	20
14a-d. Particle Spectra Averages for Time Intervals Indicated	22

Cirrus Particle Distribution Study, Part 3

I. INTRODUCTION

This is the third part in a series¹ of examinations of cirriform cloud particle distributions measured by the AFGL instrumented MC-130E aircraft during flights in the western part of the United States. Most of the flights have been funded by, and the data obtained and processed for, the Air Force Weapons Laboratory. The first part outlined a brief description of previous research in cirrus particle types. It also described some of the aircraft environmental measuring capabilities and limitations, which generally prevailed during the 18 March 1978 mission described here. The second part provided cirrus particle spectra data for a sampling flight made in February 1978.

The aircraft cloud particle measurements of 18 March were made in the Albuquerque-Socorro-Truth or Consequences area of New Mexico during a 2 hr and 45 min flight that originated and terminated at Kirtland AFB at Albuquerque. The cirriform clouds that were sampled, were very thin except for a few minutes when more dense cirrus types were flown through. Slant visibility from the aircraft was 15 miles or more during much of the flight. However, even when visibility was this good or better the Particle Measuring Systems (PMS) axial scattering

(Received for publication 7 December 1978)

1. See AFGL-TR-78-0192, August 1978; and AFGL-TR-78-0248, October 1978.

probe recorded varying numbers of particles in the 2 to 30 μm range. The PMS "cloud" and "precipitation" probes also recorded some larger sized particles for two periods totalling about 17 min.

The following paragraphs outline the general weather situation on the mission day and also discuss some of the significant aspects of the data obtained.

2. SYNOPTIC SITUATION

On 18 March a nearly stationary surface high pressure cell, centered over northwestern New Mexico, was aiding in blocking the further southward penetration of a weak front over Nebraska and Wyoming. As shown in Figure 1, the front was part of a large system that was occluded from Iowa northward into Canada. A minor surface trough extended from the front southwestward over Kansas, but no significant weather was associated with it.

Aloft a ridge of high pressure extended from New Mexico to Oregon (see Figure 2). A closed low pressure circulation at 850 mb and higher, about 20 degrees of longitude off the Los Angeles coast, resulted in extensive overcast conditions in California, Arizona and northwestern Mexico. Some of the higher clouds associated with this system were moving into New Mexico on the latter part of 18 March, although they were relatively thin at that time. Figures 3a and b show visible and infrared satellite views of the area of interest at about the time cirrus sampling was being attempted. Most of Texas and the eastern part of New Mexico had generally sunny skies during the day with only one to four tenths of high clouds.

Although cloud cover was extensive over the southwestern corner of the U. S., the bases were generally above 10,000 ft over Southern California and above 15,000 ft over Arizona. At 2200Z most New Mexico reporting stations were estimating cloud bases, where they existed, to be near 25,000 ft (7.6 km). The Albuquerque temperature sounding valid 19 March 0000Z (see Figure 4) indicated a slight decrease in the temperature-dewpoint spread between 7.5 and 8.5 km (24,000 to 28,000 ft) as compared to lower and higher levels. The tropopause was near 38,000 ft (12.5 km) MSL - about 5,500 ft above the highest altitude attained during the flight.

No precipitation was reported during the afternoon of 18 March by stations in Arizona, New Mexico or Texas, although a few stations reported virga, and radar showed small areas of rain showers over extreme western Arizona. Surface winds were light during most of the day near Albuquerque; however, they reached gusts of 25 to 35 knots in eastern New Mexico, Texas and Oklahoma, where the pressure gradient was greater. Temperatures at the surface ranged from the high 60s to




Figure 1. Synoptic Surface Analysis for 2100Z, 18 March 1978. Add 1000 millibars to isobar values




Figure 2. 500 mb Analysis for 0000Z, 19 March 1978. Contour values in tens of geopotential meters




Figure 3a. GOES East Satellite Visible Picture, 2130Z, 18 March 1978. Two-mile resolution



Figure 3b. GOES East Satellite Infrared Picture, 2200Z, 18 March 1978. Two-mile resolution




Figure 4. Portion of Albuquerque Sounding for 0000Z, 19 March 1978. Tropopause was at 38,000 ft (11.5 km) MSL. Aircraft temperature data are indicated with x's

low 80s ($^{\circ}\text{F}$) over most of Arizona and New Mexico while dewpoints were 50 to 60 degrees ($^{\circ}\text{F}$) less. Surface visibilities were 10 miles or greater throughout the Southwest during the entire day.

The following are representative surface observations at about the time (1300L) and in the area that sampling was being accomplished:

Time	Station	Clouds (100 sec ft/km)	Vsby (mi/km)	Temp ($^{\circ}\text{F}/^{\circ}\text{C}$)	Dewpt ($^{\circ}\text{F}/^{\circ}\text{C}$)	Wind (deg/kt/m sec $^{-1}$)
2000Z	Albuquerque	250/7.6 Scattered*	60/97	68/20	9/-13	300/04/02
2000Z	Truth or Consequences	250/7.6 Broken*	50/80	75/24	15/-9	170/10/05
2200Z	Albuquerque	250/7.6 Scattered*	60/97	74/23	10/-12	360/03/01
2200Z	Truth or Consequences	250/7.6 Overcast*	50/80	77/25	17/-8	150/08/04

* Thin

3. THE FLIGHT

This sampling flight originated Saturday 18 March at 1955Z (1255L) at Kirtland AFB (Albuquerque) and landed there at 2241Z (1541L). The MC-130E flew a circuitous route southwest to a point approximately 50 miles west of Truth or Consequences and then returned to Kirtland. The aircraft was flown at levels between 31,000 and 32,000 ft (9.4 to 9.7 km) MSL during most of this mission. Although this was near its service ceiling it was slightly below the bases of most of the cirrus clouds that were observed visually during the flight. However, slightly lower cirrus bases were penetrated on two occasions for periods of 5 min or more.

The greatest amount of particle data measured by the cloud and precipitation probes (which record particles between about 26 and 310 μm , and between 400 and 4700 μm , respectively) was recorded from approximately 2131 to 2136 Z and from 2217 to 2229Z. The scattering probe, which measures particles as small as 2 μm , recorded data more frequently, even when visibility appeared to be excellent.

The following are comments recorded by the mission director in the aircraft or noted in a review of the aircraft nose camera color movie film. All times are universal (GMT).

2118:00 Under solid but thin cirrus. Socorro is 20 miles ahead (to the southwest).

2125:40 Very near Socorro.

2127:30 Within about 500 ft of cirrus bases.

- 2128:30 Cirrus bases appear to be lowering ahead. Should be in cloud soon.
- 2130:30 Halo around sun; vertical visibility to ground is excellent.
- 2131:10 Getting into cirrus bases. Sky darker now. More haze below.
- 2132:00 Replicator turned on. True airspeed: 252 kt; indicated: 150 kt.
- 2133:10 Particles on snowstick. Ground slightly obscured through cirrus.
- 2133:36 Position: $33^{\circ}59'N$, $107^{\circ}22'W$ (25 mi SW of Socorro). Wind: $274^{\circ}/26$ kt.
- 2134:00 Getting out of larger particles.
- 2138:00 Totally overcast with thin Ci, but sun is dimly visible. Sky above is gray. No visibility restriction below. Horizontal visibility reduced to about 10 miles in the cirrus flown through the last few minutes.
- 2139:50 Position: $33^{\circ}45'N$, $107^{\circ}44'W$ (40 mi SW of Socorro); Wind: $281^{\circ}/28$ kt.
- 2143:35 Aircraft heading: 226° . Altitude: 31,000 ft. A little cirrus at this altitude, but most is higher.
- 2150:00 Heading SW from Socorro. Will turn now and head NE back to Socorro.
- 2154:00 Altitude: 31,000 ft. Heading: 050° .
- 2159:30 Heading: 017° ; Wind: $280^{\circ}/25$ kt; TAS = 234 kt.
- 2200:10 Under Ci, but very near bases.
- 2207:54 Position: $33^{\circ}54'N$, $107^{\circ}36'W$ (80 mi SW of ABQ).
- 2213:50 Position: $34^{\circ}05'N$, $107^{\circ}17'W$ (20 mi W of Socorro).
- 2214:50 Ci about 10 miles ahead.
- 2217:15 1-D cloud probe indicating particle counts.
- 2218:00 Just barely in Ci. Nothing on snow stick. Horizontal visibility at least 2 miles. Gray above, but blue patches in it.
- 2219:30 Very hazy.
- 2220:00 Position: $34^{\circ}23'N$, $106^{\circ}54'W$ (20 miles N of Socorro).
- 2220:50 Most of the cirrus is off to left now. Will try to get back into it.
- 2221:45 Can see ground below. Visibility 15+ miles on right, about 2 miles on left.
- 2222:05 Light intensity particles on snow stick.
- 2223:30 Our cloud is hard to find.
- 2224:25 Cloud probe data increasing.
- 2227:00 Many cloud and precipitation probe updates.
- 2227:45 Just went through cirrus area.
- 2230:00 Out of all visible cloud again.

Figure 5 shows the variation with time of both altitude and outside air temperature during most of the flight while at cirrus altitudes. The highest altitude attained was approximately 32,400 ft (9.8 km) MSL at which time the outside air temperature was $-42^{\circ}C$. The coldest temperature, $-45^{\circ}C$, was recorded at 2120Z when the aircraft was at 31,400 ft (9.6 km) MSL.




Figure 5. Variation of Aircraft Altitude and Outside Air Temperature While at Cirriform Cloud Levels

The dewpoint/frostpoint equipment was defective during the first part of the flight; however, frostpoint data are given in the listings in the appendixes for the portion of the mission after 2125Z.

4. DISCUSSION OF SAMPLING RESULTS

Figure 6 reflects the variation of ice water content (IWC)² for a 1-1/2 hr period during the flight when the aircraft was above 28,000 ft (8.5 km) MSL. The IWC is a calculated value based on the number and size of particles recorded by the three PMS spectrometer probes. Figure 6 provides a comparative record of times when the aircraft was passing through areas of large and small particle populations. While the scattering probe recorded varying numbers of small particles almost continuously, the larger sized particles measured by the cloud and precipitation probes were found mainly in two separate segments of the flight 46 min apart (beginning about 2131 and 2217Z).

The photographs in Figures 7 through 10 show the thinness of the cirrus that was sampled during this mission. The slant visibility to the ground is good to excellent in each case, although each photograph was taken at or within a few

2. IWC is used in this report in preference to liquid water content (LWC), which was used in Parts 1 and 2.




Figure 6. Variation of Ice Water Content With Time as Determined From Output of 3 PMS Spectrometer Probes. Sampling altitude: approximately 31,000 ft (9.4 km). Near Albuquerque



Figure 7. View Through Cockpit Windshield of Thin Cirrus Ahead of Aircraft at 2121Z. 31,000 ft (9.6 km) MSL. Approximately 15 miles NE of Socorro



Figure 8. Approximately 25 Miles SW of Socorro at 2133Z. 31,500 ft (9.6 km) MSL. Particles as large as 700 μ m were being recorded



Figure 9. 2215Z. Approaching the second main cirrus area (slightly darker horizontal layer in middle). At 32,000 ft (9.8 km) MSL. 15 miles NW of Socorro



Figure 10. 2218Z. In base of thin cirrus. 31,900 ft (9.7 km) MSL. Particles as large as $1000\ \mu\text{m}$ were being recorded at this time. Snow covered mountains on the middle right are approximately 10 miles distant

minutes of a time when cloud-sized or larger particles were recorded. Figures 7 and 8 reflect cloud conditions just prior to or during the first situation when the cloud and precipitation probes were activated (2131 to 2136Z). Figures 9 and 10 show the similar conditions just before or during the time they were recording the second time (from 2217 until 2229Z).

The photographs of particles on replicator tape in Figure 11 show clusters of columns or "bullet rosettes" in A through F. This was the most frequently seen crystal form that could be classified. The preponderance of particles had irregular, seemingly unique forms that did not fit into any known classification system. Even the rosette particles varied widely from one to the next. The rosette in Figure 11E, for example, had crystalline extensions from some of its columnar ends, while the other rosettes shown did not. Also, the individual columns or bullets in Figure 11A emanate from a central nucleus while Figure 11F shows the columns merely bunched together.

The Figure 11G crystal is one of the many unusual forms seen that are difficult to classify. The particle in Figure 11H is also somewhat irregular, although it has some properties of a simple hexagonal prism. Many other irregular shapes were seen.

In some of the Figure 11 photographs, there are smaller particles near the main ones. These are 50 μm in size or smaller. Some are the broken product of larger particles that impacted the replicator tape, but others appear to be natural and whole.

Figures 12 and 13 show in graphical form the concentration of particles as a function of their size for 30 sec periods during the two main episodes when the cloud and precipitation probes were activated to record data.³ In both cases the aircraft was in the base of thin cirrus clouds. Visibility was slightly restricted at these times, but the ground could still be seen some distance ahead of the aircraft.

The 3-D particle form examples on Figures 12 and 13 are from the cloud probe. The height of the vertical bars is 800 μm . This dimension may be used as a comparative measure of the horizontal and vertical size of the particles shown. In both figures, particularly Figure 13, several bullet rosettes are recognizable. A comparison of the rosette forms in the photographs of Figure 11 and in the

3. Two data processing changes have been incorporated in the data in this part that were not in Parts 1 and 2: (1) Particles recorded by the scattering probe were previously treated as liquid droplets in determining the ice water content of that probe. The measured sizes of the particles are now multiplied by 0.9 before determining IWC. (2) Because of occasional inaccuracies in end channel counting of the cloud and precipitation probes a program has been used here that interpolates values for the largest cloud probe channels and smallest precipitation probe channel. This results in a more natural particle concentration transition from one probe to the next.





Figure 11A-H. Photomicrographs of Cirrus Particle Forms From Formvar Replicator Tape. Numbers in upper right corners are times of observation in GMT




EXAMPLE 2-D PARTICLE FORMS



COMMENTS: In first episode of larger sized particles that lasted about five minutes. A few seconds after this sample was obtained particles as large as 1000 μm were recorded. A halo was evident around the sun through thin overcast above. The ground appeared slightly hazy, but slant visibility to ground remained good.

Figure 12. Average Particle Spectrum During First Time Through Base of Thin Cirrus



EXAMPLE 2-D PARTICLE FORMS



COMMENTS: In second episode of larger sized particles. In base of cirrus. Very gray sky above flight level. Very hazy. Horizontal visibility about two miles. Slant visibility to ground ten miles.




Figure 13. Average Cirrus Particle Spectrum During a Second Period of the Flight When Larger Particles were Recorded

PMS 2-D printouts on Figures 12 and 13 shows many similarities in the two types of displays.

The particular numerical data from which the plots and summarized information on Figures 12 and 13 were developed are included in Appendix B in chronological order.

The plots in Figure 14 represent average particle distributions over longer periods of time than the 30 sec intervals discussed up to this point. Plotted numerical data from the PMS 2-D probes are shown in the top two figures. These data are in general agreement with those of the 1-D instruments. Since the central value of the lowest 2-D cloud probe channel is about $60\text{ }\mu\text{m}$ (for unmelted particles), there are no 2-D data for Figures 14c and d that correspond to those of the PMS 1-D scattering probe.

Figure 14a shows the average distribution for a 3-1/2 min period during the first sampling of larger particles which began at about 2131Z. The duration of this period was determined by reviewing the printout results to find the longest possible time during which a relatively homogeneous particle population was being sampled. After the end of the 3-1/2 min the particle IWC, as calculated from cloud and precipitation probe data, fell to less than one half its previous value. The time period considered in Figure 14a includes the shorter period for which the data shown on Figure 12 are presented. The more complete listings of particle spectra data from which the Figure 14 diagrams were developed are given in Appendix A.

An average particle distribution for a 6 min period beginning at 2217Z is shown graphically in Figure 14b. This was the second significant episode during the sampling when ice crystals were recorded by the cloud and precipitation probes. The concentration and size of particles measured by the cloud probe are similar to those in Figure 14a; however, more of the larger precipitation-sized particles are indicated in the Figure 14b distribution. The mass of the particles is also slightly greater in the latter case as is shown in the first two Appendix A listings. The particle distribution data presented in Figure 13 are included in the longer period average of Figure 14b.

Figures 14c and d present graphed average particle spectra for two consecutive 15 min periods when the aircraft was in visibly cloud-free air, but when very small particles were being recorded by the scattering probe. The size and number of these particles varied as can be inferred from the variation of scatter probe IWC in Figure 6. However, it must be pointed out that only apparent size distributions can be reported for particles detected by spectrometers based on a light scattering mechanism. This is the case since the scattering properties of randomly oriented irregular ice crystals are not known.




Figure 14a-d. Particle Spectra Averages for Time Intervals Indicated. Solid lines represent PMS 1-D data; dashed lines are 2-D data. Note different scales. The c and d graphs reflect 1-D scatter probe data exclusively. All times in GMT

5. CONCLUDING COMMENTS

Although there was widespread thin cirrus over New Mexico on 18 March most of that which was visible was above the service ceiling of the MC-130E sampling aircraft. Horizontal and slant visibility to the ground was 10 miles or more through most of the flight. However, the PMS scattering probe recorded varying numbers of small particles over its 2 to 30 μm measuring range during the entire time from 2100 to 2230Z when the aircraft was above 28,000 ft (8.5 km).

Two areas were found where the thin cirrus was slightly lower than elsewhere, and it was possible to penetrate the clouds for a few minutes at these locations. In both cases (2131-2136Z, and 2217-2229Z) particles were encountered that activated the cloud and precipitation probes. The ice water content calculated from the measurements of each of these probes was of the order of 10^{-3} to 10^{-2} g m^{-3} for the brief times in the cloud. The lowest horizontal visibility during these episodes was estimated at 10 miles in the first and 2 miles in the second. For both encounters the particle spectra (in Figures 14a and b) displayed a relatively smooth decrease in concentration as size increased. The greatest average particle size in any 30 sec sample was near 1000 μm in the 2131-2136Z case, and 2200 μm for the 2217-2229Z case. The number of these larger particles was very small — about one or less per cubic meter.

According to Figure 6, which shows the variation of IWC with time, the values determined from scatter probe data decreased slightly when the other two probes began recording data for the first time at 2131Z. This may indicate some of the minute particles sensed by the scatter probe aggregated to form the larger sized crystals. There was no change of outside air temperature or of altitude when the scatter probe data diminished.

When the second significant cloud was penetrated (at 2217Z) the IWC of each of the probes increased at about the same time. The initial IWC of the scatter probe in this case, however, was 1-1/2 orders of magnitude less than when the first visible cloud was entered. The decrease of scatter probe IWC, which occurred at 2200Z, appears to be correlated with an increase in altitude at about the same time. By ascending 1000 ft the aircraft moved to a level less rich in small sized particles.

Appendix A

Average Particle Distributions for Varying Time Periods

Particle concentration data are given for four periods during an 18 March 1978 sampling flight near Albuquerque. Each data listing corresponds to one of the plots of data shown in Figure 14 in the text. The specific one is indicated near each listing. All times are GMT.

Any normalized particle distribution in this appendix, with units of number/ M^3 -mm, may be converted to an unnormalized number of particles/ M^3 by multiplying

- (a) Scatter probe values by 0.002 mm.
- (b) Cloud probe values by 0.020 mm.
- (c) Precip probe values, except the $437 \mu m$ size, by 0.306 mm.
- (d) The $437 \mu m$ precip probe value by 0.232 mm.

For example, on the top of the next page the number of $2 \mu m$ diameter particles may be obtained by multiplying 5.67×10^8 particles/ M^3 -mm by 0.002 mm = 1.134×10^6 particles/ M^3 .

Average particle distribution (No/M^3 -mm) for the 210 second period beginning at 2131:00Z. Data correspond to Figure 14a in text. In bases of thin cirrus.

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	5.67E+08	26	2.92E+05	437	5.08E+02	281.4
3	2.43E+08	47	4.77E+04	706	1.42E+01	ALT (KM)
5	1.49E+08	67	4.47E+04	1011	5.93E-01	9.585
7	1.10E+08	87	3.72E+04	1316	0.	
9	7.96E+07	103	7.17E+04	1622	0.	TEMP (C)
11	6.48E+07	129	3.47E+04	1927	0.	-42.4
12	4.48E+07	148	2.35E+04	2233	0.	
14	5.12E+07	169	6.90E+03	2538	0.	FROSTPOINT
15	4.29E+07	189	1.71E+04	2843	0.	-43.4
18	2.22E+07	209	1.43E+04	3149	0.	
19	1.62E+07	230	9.54E+03	3454	0.	TAS (M/S)
21	1.11E+07	250	5.78E+03	3760	0.	133.0
23	1.05E+07	271	4.46E+03	4065	0.	
25	8.83E+06	291	3.44E+03	4370	0.	
27	6.16E+06	311	2.64E+03	4676	0.	
LWC	1.36E-03		1.17E-03		5.04E-04	TOTALS
MEAN D	17		84		200	1.67E-03
						103

Average particle distribution (No/M^3 -mm) for the 360 second period beginning at 2217:00Z. Data correspond to Figure 14b in text. In bases of thin cirrus.

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.71E+09	26	2.68E+05	437	1.44E+03	277.5
3	2.31E+08	47	1.08E+05	706	1.06E+02	ALT (KM)
5	1.31E+08	67	7.00E+04	1011	8.93E+00	9.679
7	9.91E+07	87	4.56E+04	1316	9.19E-01	
9	6.97E+07	103	9.64E+04	1622	1.48E-01	TEMP (C)
11	5.44E+07	129	5.76E+04	1927	5.30E-02	-42.9
12	3.64E+07	148	4.28E+04	2233	5.63E-02	
14	3.92E+07	169	1.31E+04	2538	0.	FROSTPOINT
16	3.15E+07	189	2.51E+04	2843	0.	-44.8
18	1.54E+07	209	1.97E+04	3149	0.	
19	1.28E+07	230	1.47E+04	3454	0.	TAS (M/S)
21	9.54E+06	250	8.53E+03	3760	0.	125.7
23	9.51E+06	271	7.12E+03	4065	0.	
25	7.51E+06	291	5.94E+03	4370	0.	
27	1.59E+07	311	4.88E+03	4676	0.	
LWC	1.31E-03		1.80E-03		1.90E-03	TOTALS
MEAN D	19		85		219	3.70E-03
						145

Average particle distribution (No/M³-mm) for the 900 second period beginning at 2146:00Z. Data correspond to Figure 14c in text. In very small particles; good visibility.

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
						279.4
2	5.36E+08	26	0.	437	0.	
3	3.01E+08	47	0.	706	0.	ALT (KM)
5	2.12E+08	67	0.	1011	0.	9.633
7	1.61E+08	87	8.10E+01	1316	0.	
9	1.14E+08	108	0.	1622	0.	TEMP (C)
11	8.80E+07	128	0.	1927	0.	-41.8
12	5.91E+07	148	0.	2233	0.	
14	6.67E+07	169	0.	2538	0.	FROSTPOINT
16	5.35E+07	189	0.	2843	0.	-49.2
18	2.31E+07	209	0.	3149	0.	
19	1.45E+07	230	0.	3454	0.	TAS (M/S)
21	8.33E+06	250	0.	3760	0.	129.1
23	7.05E+06	271	0.	4065	0.	
25	4.00E+06	291	0.	4370	0.	
27	1.53E+06	311	0.	4676	0.	
TOTALS						1.11E-07
LWC	1.33E-03		1.11E-07		0.	1.11E-07
MEQ D	15		50		0	50

Average particle distribution (No/M³-mm) for the 900 second period beginning at 2201:00Z. Data correspond to Figure 14d in text. In very small particles; good visibility.

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
						272.7
2	3.53E+09	26	0.	437	0.	
3	1.08E+08	47	6.58E+02	706	0.	ALT (KM)
5	6.25E+06	67	0.	1011	0.	9.793
7	3.13E+06	87	0.	1316	0.	
9	1.17E+06	108	0.	1622	0.	TEMP (C)
11	5.01E+05	128	0.	1927	0.	-42.4
12	1.82E+05	148	0.	2233	0.	
14	8.56E+04	169	0.	2538	0.	FROSTPOINT
16	7.60E+04	189	0.	2843	0.	-48.7
18	9.32E+03	209	0.	3149	0.	
19	0.	230	0.	3454	0.	TAS (M/S)
21	0.	250	0.	3760	0.	114.7
23	9.53E+03	271	0.	4065	0.	
25	0.	291	0.	4370	0.	
27	0.	311	0.	4676	0.	
TOTALS						2.60E-07
LWC	4.15E-05		2.60E-07		0.	2.60E-07
MEQ D	2		33		0	33

Appendix B

Average Particle Distributions for 30-second Periods

The following pages provide cloud particle concentration data as a function of particle size for a time on 18 March 1978 when the sampling aircraft was generally above 29,000 ft (8.8 km) MSL. Data averages are given for consecutive 30-sec periods from 2115Z through 2230Z.

Any normalized particle distribution figure in this appendix, with units of number/ M^3 - mm, may be converted to an unnormalized number of particles/ M^3 by multiplying

- (a) Scatter probe values by 0.002 mm.
- (b) Cloud probe values by 0.020 mm.
- (c) Precip probe values, except the $437 \mu m$ size, by 0.306 mm.
- (d) The $437 \mu m$ precip probe value by 0.232 mm.

For example, for the distribution beginning at 2115:00Z on the next page the number of $20 \mu m$ diameter particles may be obtained by multiplying 4.97×10^6 particles/ M^3 -mm by .002 mm = 9.94×10^3 particles/ M^3 .

AFGL CIRRUS STUDY BY AFGL													
FLIGHT 27A-07 ON 1A MAR 7A 30 SECOND AVERAGING													
INTERVAL START: 21115100*													
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)													
TYPE: BULL-ROSE													
SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)	SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.23E+09	25	0.	437	0.	281.2	2	4.98E+03	25	0.	437	0.	281.2
4	1.73E+08	47	0.	706	0.	ALT (KM)	4	2.17E+03	47	0.	706	0.	ALT (KM)
6	8.65E+07	67	0.	1011	0.	9.590	6	1.32E+03	67	0.	1011	0.	9.590
8	5.34E+07	87	0.	1316	0.	TEMP (C)	8	1.03E+03	87	0.	1316	0.	TEMP (C)
10	3.88E+07	108	0.	1622	0.	-43.6	10	7.55E+07	108	0.	1622	0.	-43.6
12	1.94E+07	129	0.	1927	0.	DEWPOINT	12	5.85E+07	129	0.	1927	0.	DEWPOINT
14	1.54E+07	149	0.	2233	0.	IAS (M/S)	14	3.63E+07	149	0.	2233	0.	IAS (M/S)
16	1.19E+07	169	0.	2538	0.	121.5	16	4.34E+07	169	0.	2538	0.	121.5
18	9.20E+06	189	0.	2843	0.	TOTALS	18	2.89E+07	189	0.	2843	0.	TOTALS
20	4.97E+06	209	0.	3149	0.	0.	20	1.25E+07	209	0.	3149	0.	0.
22	1.24E+05	230	0.	3454	0.	0.	22	6.37E+03	230	0.	3454	0.	0.
24	4.97E+05	250	0.	3760	0.	0.	24	5.63E+05	250	0.	3760	0.	0.
26	4.97E+05	271	0.	4065	0.	0.	26	2.45E+05	271	0.	4065	0.	0.
28	4.98E+05	291	0.	4370	0.	0.	28	1.71E+06	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.	30	1.96E+06	311	0.	4676	0.	0.
LWC	2.77E-04	0.	0	0	0.	0.	LWC	8.41E-04	0.	0	0	0.	0.
MED D	13	0	0	0	0	0	MED D	15	0	0	0	0	0

AFGL CIRRUS STUDY BY AFGL													
FLIGHT 27A-07 ON 1A MAR 7A 30 SECOND AVERAGING													
INTERVAL START: 21115130*													
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)													
TYPE: BULL-ROSE													
SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)	SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	6.75E+03	25	0.	437	0.	280.9	2	4.75E+03	25	0.	437	0.	280.9
4	2.26E+03	47	0.	706	0.	ALT (KM)	4	2.31E+03	47	0.	706	0.	ALT (KM)
6	1.31E+03	67	0.	1011	0.	9.597	6	1.42E+03	67	0.	1011	0.	9.597
8	8.69E+07	87	0.	1316	0.	TEMP (C)	8	1.09E+03	87	0.	1316	0.	TEMP (C)
10	6.26E+07	108	0.	1622	0.	-43.6	10	7.36E+07	108	0.	1622	0.	-43.7
12	4.57E+07	129	0.	1927	0.	DEWPOINT	12	5.27E+07	129	0.	1927	0.	DEWPOINT
14	3.44E+07	149	0.	2233	0.	IAS (M/S)	14	2.93E+07	149	0.	2233	0.	IAS (M/S)
16	2.86E+07	169	0.	2538	0.	123.8	16	4.39E+07	169	0.	2538	0.	123.8
18	1.53E+07	189	0.	2843	0.	TOTALS	18	3.44E+07	189	0.	2843	0.	TOTALS
20	4.94E+06	209	0.	3149	0.	0.	20	1.24E+07	209	0.	3149	0.	0.
22	3.94E+05	230	0.	3454	0.	0.	22	7.88E+05	230	0.	3454	0.	0.
24	1.73E+05	250	0.	3760	0.	0.	24	3.66E+06	250	0.	3760	0.	0.
26	9.87E+05	271	0.	4065	0.	0.	26	5.12E+06	271	0.	4065	0.	0.
28	4.94E+05	291	0.	4370	0.	0.	28	1.71E+06	291	0.	4370	0.	0.
30	2.46E+05	311	0.	4676	0.	0.	30	1.22E+06	311	0.	4676	0.	0.
LWC	5.03E-04	0.	0	0	0.	0.	LWC	8.58E-04	0.	0	0	0.	0.
MED D	13	0	0	0	0	0	MED D	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFSL

FLIGHT F7A-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL START: 2117100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	5.94E+03	25	0.	437	0.	281.0
4	2.24E+03	47	0.	706	0.	ALT (KM)
5	1.35E+03	57	0.	1011	0.	3.585
8	1.01E+03	87	0.	1316	0.	TEMP (C)
10	7.04E+02	108	0.	1622	0.	-44.6
12	5.10E+02	129	0.	1927	0.	DEWPOINT
14	3.55E+02	149	0.	2233	0.	IAS (M/S)
15	3.87E+02	159	0.	2538	0.	123.1
18	2.82E+02	189	0.	2843	0.	TOTALS
20	1.45E+02	209	0.	3149	0.	LWC 7.31E-06
22	3.92E+02	230	0.	3454	0.	MED D 9
24	4.41E+02	250	0.	3760	0.	0
26	1.71E+02	271	0.	4065	0.	0
28	4.91E+02	291	0.	4370	0.	0
30	7.35E+02	311	0.	4676	0.	0
LWC	7.31E-06	0.	0.	0.	0.	0
MED D	14	0.	0.	0.	0.	0

INTERVAL START: 2117130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.53E+03	25	0.	437	0.	281.5
4	1.56E+03	47	0.	706	0.	ALT (KM)
5	7.33E+02	57	0.	1011	0.	9.582
8	5.19E+02	87	0.	1316	0.	TEMP (C)
10	3.88E+02	108	0.	1622	0.	-45.0
12	2.81E+02	129	0.	1927	0.	DEWPOINT
14	3.93E+02	149	0.	2233	0.	IAS (M/S)
15	9.68E+02	159	0.	2538	0.	121.5
18	5.95E+02	189	0.	2843	0.	TOTALS
20	3.72E+02	209	0.	3149	0.	LWC 2.36E-06
22	1.76E+02	230	0.	3454	0.	MED D 0
24	4.95E+02	250	0.	3760	0.	0
26	2.50E+02	271	0.	4065	0.	0
28	2.46E+02	291	0.	4370	0.	0
30	0.	311	0.	4676	0.	0
LWC	2.36E-06	0.	0.	0.	0.	0
MED D	12	0.	0.	0.	0.	0

AFML CIRRUS STUDY BY AFSL

FLIGHT F7A-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL START: 2118100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.03E+03	25	0.	437	0.	281.4
4	1.32E+03	47	0.	706	0.	ALT (KM)
5	5.93E+02	57	0.	1011	0.	9.585
8	3.96E+02	87	0.	1316	0.	TEMP (C)
10	2.65E+02	108	0.	1622	0.	-45.1
12	1.84E+02	129	0.	1927	0.	DEWPOINT
14	1.11E+02	149	0.	2233	0.	IAS (M/S)
15	7.02E+02	159	0.	2538	0.	119.7
18	6.56E+02	189	0.	2843	0.	TOTALS
20	2.27E+02	209	0.	3149	0.	LWC 1.95E-06
22	7.56E+02	230	0.	3454	0.	MED D 12
24	2.52E+02	250	0.	3760	0.	0
26	5.08E+02	271	0.	4065	0.	0
28	2.52E+02	291	0.	4370	0.	0
30	0.	311	0.	4676	0.	0
LWC	1.95E-06	0.	0.	0.	0.	0
MED D	12	0.	0.	0.	0.	0

INTERVAL START: 2118130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.03E+03	25	0.	437	0.	281.7
4	1.50E+03	47	0.	706	0.	ALT (KM)
5	5.18E+02	57	0.	1011	0.	9.579
8	4.58E+02	87	0.	1316	0.	TEMP (C)
10	2.65E+02	108	0.	1622	0.	-44.8
12	2.25E+02	129	0.	1927	0.	DEWPOINT
14	3.32E+02	149	0.	2233	0.	IAS (M/S)
15	1.15E+02	159	0.	2538	0.	119.3
18	6.07E+02	189	0.	2843	0.	TOTALS
20	2.03E+02	209	0.	3149	0.	LWC 2.02E-06
22	7.61E+02	230	0.	3454	0.	MED D 11
24	2.53E+02	250	0.	3760	0.	0
26	0.	271	0.	4065	0.	0
28	0.	291	0.	4370	0.	0
30	0.	311	0.	4676	0.	0
LWC	2.02E-06	0.	0.	0.	0.	0
MED D	11	0.	0.	0.	0.	0

AFML CIRRUS STUDY BY AF6L

FLIGHT E7A-07 ON 1A MAR 7A 30 SECOND AVERAGING

INTERVAL START: 2119100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.72E+03	25	0.	437	0.	281.7
4	1.55E+03	47	0.	706	0.	ALT (KM)
6	7.33E+07	67	0.	1011	0.	9.577
8	4.75E+07	87	0.	1316	0.	
10	3.05E+07	108	0.	1622	0.	TEMP (C)
12	2.37E+07	129	0.	1927	0.	-44.8
14	1.13E+07	148	0.	2233	0.	
15	1.64E+07	159	0.	2538	0.	DEWPOINT
18	9.07E+05	189	0.	2843	0.	
20	2.51E+05	209	0.	3149	0.	
22	1.24E+05	230	0.	3454	0.	IAS (M/S)
24	0.	250	0.	3760	0.	113.9
26	0.	271	0.	4065	0.	
28	2.52E+05	291	0.	4370	0.	
30	0.	311	0.	4675	0.	
LMC	2.48E-04	0.	0.	0.	0.	TOTALS
MED D	13	0	0	0	0	0

32

AFML CIRRUS STUDY BY AF5L

FLIGHT E7A-07 ON 1A MAR 7A 30 SECOND AVERAGING

INTERVAL START: 21120100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.24E+03	25	0.	437	0.	281.1
4	1.66E+03	47	0.	706	0.	ALT (KM)
6	8.48E+07	67	0.	1011	0.	9.593
8	6.39E+07	87	0.	1316	0.	
10	4.20E+07	108	0.	1622	0.	TEMP (C)
12	2.93E+07	129	0.	1927	0.	-45.1
14	1.96E+07	148	0.	2233	0.	
15	1.64E+07	159	0.	2538	0.	FROSTPOINT
18	1.43E+07	189	0.	2843	0.	
20	4.47E+05	209	0.	3149	0.	
22	2.74E+05	230	0.	3454	0.	IAS (M/S)
24	1.49E+05	250	0.	3760	0.	121.4
26	1.49E+05	271	0.	4065	0.	
28	2.48E+05	291	0.	4370	0.	
30	0.	311	0.	4675	0.	
LMC	3.74E-04	0.	0.	0.	0.	TOTALS
MED D	14	0	0	0	0	0

INTERVAL START: 21119130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.71E+03	25	0.	437	0.	281.3
4	1.48E+03	47	0.	706	0.	ALT (KM)
6	6.15E+07	67	0.	1011	0.	9.588
8	5.22E+07	87	0.	1316	0.	
10	3.21E+07	108	0.	1622	0.	TEMP (C)
12	2.44E+07	129	0.	1927	0.	-45.1
14	1.53E+07	148	0.	2233	0.	
15	1.36E+07	159	0.	2538	0.	DEWPOINT
18	8.28E+05	189	0.	2843	0.	
20	1.75E+05	209	0.	3149	0.	
22	7.53E+05	230	0.	3454	0.	IAS (M/S)
24	7.51E+05	250	0.	3760	0.	120.3
26	2.60E+05	271	0.	4065	0.	
28	5.02E+05	291	0.	4370	0.	
30	0.	311	0.	4675	0.	
LMC	2.53E-04	0.	0.	0.	0.	TOTALS
MED D	12	0	0	0	0	0

INTERVAL START: 21120130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	5.82E+03	25	0.	437	0.	281.0
4	2.11E+03	47	0.	706	0.	ALT (KM)
6	1.25E+08	67	0.	1011	0.	9.594
8	9.45E+07	87	0.	1316	0.	
10	5.53E+07	108	0.	1622	0.	TEMP (C)
12	4.74E+07	129	0.	1927	0.	-44.9
14	3.93E+07	148	0.	2233	0.	
15	3.68E+07	159	0.	2538	0.	FROSTPOINT
18	2.53E+07	183	0.	2843	0.	
20	1.13E+07	209	0.	3149	0.	
22	7.41E+05	230	0.	3454	0.	IAS (M/S)
24	2.71E+05	250	0.	3760	0.	122.3
26	4.20E+05	271	0.	4065	0.	
28	9.85E+05	291	0.	4370	0.	
30	0.	311	0.	4675	0.	
LMC	7.31E-04	0.	0.	0.	0.	TOTALS
MED D	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT 77A-07 ON 1A MAR 73 10 SECOND AVERAGING

INTERVAL START: 21121100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MM)
2	5.90E+03	25	0.	437	0.	280.5
4	2.07E+03	47	0.	706	0.	ALT (KM)
6	1.16E+03	67	0.	1011	0.	9.602
8	8.91E+02	87	0.	1316	0.	TEMP (C)
10	6.42E+02	103	0.	1622	0.	-44.3
12	4.61E+02	123	0.	1927	0.	FROSTPOINT
14	3.38E+02	143	0.	2233	0.	0.
16	3.03E+02	159	0.	2538	0.	IAS (M/S)
18	3.12E+02	183	0.	2843	0.	123.7
20	1.15E+02	203	0.	3143	0.	TOTALS
22	1.20E+02	230	0.	3454	0.	0.
24	5.61E+02	250	0.	3760	0.	0.
26	4.39E+02	271	0.	4065	0.	0.
28	3.65E+02	291	0.	4370	0.	0.
30	1.71E+02	311	0.	4676	0.	0.
LWC	8.88E-04	0.	0.	0.	0.	0.
MED D	16	0	0	0	0	0

33

AFML CIRRUS STUDY BY AFGL

FLIGHT 77A-07 ON 1A MAR 73 10 SECOND AVERAGING

INTERVAL START: 21122100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MM)
2	2.35E+03	25	0.	437	0.	280.7
4	2.39E+03	47	0.	706	0.	ALT (KM)
6	1.20E+03	67	0.	1011	0.	9.602
8	1.29E+03	87	0.	1316	0.	TEMP (C)
10	8.95E+02	103	0.	1622	0.	-44.7
12	7.05E+02	123	0.	1927	0.	FROSTPOINT
14	5.03E+02	143	0.	2233	0.	0.
16	6.40E+02	159	0.	2538	0.	IAS (M/S)
18	6.03E+02	183	0.	2843	0.	124.2
20	2.05E+02	203	0.	3149	0.	TOTALS
22	1.61E+02	230	0.	3454	0.	0.
24	1.45E+02	250	0.	3760	0.	0.
26	1.14E+02	271	0.	4065	0.	0.
28	7.05E+02	291	0.	4370	0.	0.
30	2.13E+02	311	0.	4676	0.	0.
LWC	1.61E-03	0.	0.	0.	0.	0.
MED D	16	0	0	0	0	0

INTERVAL START: 21121130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MM)
2	5.04E+03	25	0.	437	0.	280.8
4	2.20E+03	47	0.	706	0.	ALT (KM)
6	1.46E+03	67	0.	1011	0.	9.601
8	1.07E+03	87	0.	1316	0.	TEMP (C)
10	7.72E+02	103	0.	1622	0.	-44.7
12	6.01E+02	123	0.	1927	0.	FROSTPOINT
14	4.67E+02	143	0.	2233	0.	0.
16	4.45E+02	159	0.	2538	0.	IAS (M/S)
18	3.56E+02	183	0.	2843	0.	123.5
20	1.59E+02	203	0.	3149	0.	TOTALS
22	1.00E+02	230	0.	3454	0.	0.
24	6.58E+02	250	0.	3760	0.	0.
26	5.37E+02	271	0.	4065	0.	0.
28	2.93E+02	291	0.	4370	0.	0.
30	1.71E+02	311	0.	4676	0.	0.
LWC	1.02E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

INTERVAL START: 21122130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MM)
2	2.48E+03	25	0.	437	0.	280.3
4	2.36E+03	47	0.	706	0.	ALT (KM)
6	1.67E+03	67	0.	1011	0.	9.612
8	1.44E+03	87	0.	1316	0.	TEMP (C)
10	9.23E+02	103	0.	1622	0.	-43.5
12	9.08E+02	123	0.	1927	0.	FROSTPOINT
14	5.38E+02	143	0.	2233	0.	0.
16	6.56E+02	159	0.	2538	0.	IAS (M/S)
18	4.83E+02	183	0.	2843	0.	125.1
20	2.36E+02	203	0.	3149	0.	TOTALS
22	1.57E+02	230	0.	3454	0.	0.
24	1.04E+02	250	0.	3760	0.	0.
26	3.17E+02	271	0.	4065	0.	0.
28	5.79E+02	291	0.	4370	0.	0.
30	2.41E+02	311	0.	4676	0.	0.
LWC	1.47E-03	0.	0.	0.	0.	0.
MED D	16	0	0	0	0	0

AFM CIRCUIS STUDY BY AFGL

FLIGHT E7A-07 ON 1A MAR 78 30 SECOND AVERAGING

INTERVAL START: 21123100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.49E+03	26	0.	437	0.	280.2
4	2.43E+03	47	0.	706	0.	ALT (KM)
6	1.77E+03	67	0.	1011	0.	9.623
8	1.51E+03	87	0.	1315	0.	TEMP (C)
10	1.06E+03	108	0.	1622	0.	-43.1
12	9.75E+07	128	0.	1927	0.	FROSTPOINT
14	6.62E+07	148	0.	2233	0.	126.0
16	8.19E+07	163	0.	2538	0.	IAS (M/S)
18	7.33E+07	183	0.	2843	0.	126.0
20	3.69E+07	203	0.	3149	0.	TOTALS
22	2.54E+07	230	0.	3454	0.	LWC 2.16E-03
24	1.46E+07	250	0.	3760	0.	MED D 0
26	1.49E+07	271	0.	4065	0.	6.78E-21
28	1.10E+07	291	0.	4370	0.	0
30	7.67E+05	311	0.	4676	0.	0
TOTALS						
LWC	2.16E-03	0.	0	6.78E-21	0	0
MED D	17	0	0	0	0	0

AFM CIRCUIS STUDY BY AFGL

FLIGHT E7A-07 ON 1A MAR 78 30 SECOND AVERAGING

INTERVAL START: 21124130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.90E+03	26	0.	437	0.	279.9
4	2.29E+03	47	0.	706	0.	ALT (KM)
6	1.57E+03	67	0.	1011	0.	9.620
8	1.47E+03	87	0.	1316	0.	TEMP (C)
10	1.03E+03	108	0.	1622	0.	-43.1
12	8.70E+07	128	0.	1927	0.	FROSTPOINT
14	6.31E+07	148	0.	2233	0.	127.7
16	8.43E+07	163	0.	2538	0.	IAS (M/S)
18	7.59E+07	183	0.	2843	0.	127.7
20	3.59E+07	203	0.	3149	0.	TOTALS
22	2.53E+07	230	0.	3454	0.	LWC 2.12E-03
24	1.70E+07	250	0.	3760	0.	MED D 0
26	1.60E+07	271	0.	4065	0.	6.07E-20
28	8.97E+05	291	0.	4370	0.	0
30	4.72E+05	311	0.	4676	0.	0
TOTALS						
LWC	2.12E-03	0.	0	6.07E-20	0	0
MED D	17	0	0	0	0	0

AFM CIRCUIS STUDY BY AFGL

FLIGHT E7A-07 ON 1A MAR 78 30 SECOND AVERAGING

INTERVAL START: 21123100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.88E+03	26	0.	437	0.	279.8
4	2.51E+03	47	0.	706	0.	ALT (KM)
6	1.56E+03	67	0.	1011	0.	9.623
8	1.28E+03	87	0.	1315	0.	TEMP (C)
10	9.57E+07	108	0.	1622	0.	-43.2
12	7.00E+07	128	0.	1927	0.	FROSTPOINT
14	5.31E+07	148	0.	2233	0.	126.0
16	6.79E+07	163	0.	2538	0.	IAS (M/S)
18	6.03E+07	183	0.	2843	0.	126.0
20	3.50E+07	203	0.	3149	0.	TOTALS
22	2.24E+07	230	0.	3454	0.	LWC 3.39E-21
24	1.38E+07	250	0.	3760	0.	MED D 0
26	1.33E+07	271	0.	4065	0.	0
28	9.29E+05	291	0.	4370	0.	0
30	4.28E+05	311	0.	4676	0.	0
TOTALS						
LWC	1.83E-03	0.	0	3.39E-21	0	0
MED D	17	0	0	0	0	0

AFM CIRCUIS STUDY BY AFGL

FLIGHT E7A-07 ON 1A MAR 78 30 SECOND AVERAGING

INTERVAL START: 21124130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.16E+03	26	0.	437	9.52E-01	279.9
4	2.52E+03	47	0.	706	1.54E+00	ALT (KM)
6	2.31E+03	67	0.	1011	0.	9.621
8	1.93E+03	87	0.	1316	0.	TEMP (C)
10	1.56E+03	108	0.	1622	0.	-43.2
12	1.30E+03	128	0.	1927	0.	FROSTPOINT
14	1.03E+03	148	0.	2233	0.	126.0
16	1.19E+03	163	0.	2538	0.	IAS (M/S)
18	1.02E+03	183	0.	2843	0.	126.0
20	5.35E+07	203	0.	3149	0.	TOTALS
22	3.98E+07	230	0.	3454	0.	LWC 8.86E-05
24	2.62E+07	250	0.	3760	0.	MED D 0
26	2.00E+07	271	0.	4065	0.	0
28	1.30E+07	291	0.	4370	0.	0
30	5.18E+05	311	0.	4676	0.	0
TOTALS						
LWC	2.99E-03	0.	0	8.86E-05	301	0
MED D	17	0	0	0	0	0

AFML CIRRUS STUDY BY AFSL

FLIGHT ETA-07 ON 14 MAR 74 30 SECOND AVERAGING
INTERVAL START: 21125100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.12E+03	25	0.	437	0.	273.9
4	2.59E+03	47	0.	706	0.	ALT (KM)
6	2.15E+03	67	0.	1011	0.	9.622
8	1.90E+03	87	0.	1316	0.	TEMP (C)
10	1.23E+03	103	0.	1622	0.	-43.1
12	1.26E+03	123	0.	1927	0.	FROSTPOINT
14	9.95E+07	143	0.	2233	0.	-43.4
16	1.17E+03	153	0.	2538	0.	IAS (M/S)
18	1.00E+03	183	0.	2843	0.	126.4
20	4.00E+07	203	0.	3149	0.	TOTALS
22	3.34E+07	230	0.	3454	0.	3.34E-21
24	2.54E+07	250	0.	3760	0.	0
26	2.12E+07	271	0.	4065	0.	3.34E-21
28	1.81E+07	291	0.	4370	0.	0
30	5.64E+05	311	0.	4676	0.	0
LWC	2.94E-03	0.	0.	3.14E-21	0.	0
MED D	17	0	0	0	0	0

AFML CIRRUS STUDY BY AFSL

FLIGHT ETA-07 ON 14 MAR 74 30 SECOND AVERAGING
INTERVAL START: 21125100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.03E+03	25	0.	437	0.	273.7
4	2.42E+03	47	0.	706	0.	ALT (KM)
6	2.03E+03	67	0.	1011	0.	9.626
8	1.81E+03	87	0.	1316	0.	TEMP (C)
10	1.47E+03	103	0.	1622	0.	-42.7
12	1.17E+03	123	0.	1927	0.	FROSTPOINT
14	9.42E+07	143	0.	2233	0.	-43.4
16	1.15E+03	153	0.	2538	0.	IAS (M/S)
18	1.02E+03	183	0.	2843	0.	126.3
20	4.80E+07	203	0.	3149	0.	TOTALS
22	2.94E+07	230	0.	3454	0.	2.65E-03
24	2.03E+07	250	0.	3760	0.	0
26	2.08E+07	271	0.	4065	0.	0
28	7.85E+05	291	0.	4370	0.	0
30	4.52E+05	311	0.	4676	0.	0
LWC	2.65E-03	0.	0.	0	0	0
MED D	16	0	0	0	0	0

INTERVAL START: 21125130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.14E+03	25	0.	437	0.	273.9
4	2.49E+03	47	0.	706	0.	ALT (KM)
6	2.03E+03	67	0.	1011	0.	9.622
8	1.90E+03	87	0.	1316	0.	TEMP (C)
10	1.51E+03	103	0.	1622	0.	-43.0
12	1.23E+03	123	0.	1927	0.	FROSTPOINT
14	8.75E+07	143	0.	2233	0.	-43.4
16	1.12E+03	153	0.	2538	0.	IAS (M/S)
18	1.07E+03	183	0.	2843	0.	126.0
20	5.14E+07	203	0.	3149	0.	TOTALS
22	3.94E+07	230	0.	3454	0.	0
24	2.59E+07	250	0.	3760	0.	0
26	1.67E+07	271	0.	4065	0.	0
28	1.05E+07	291	0.	4370	0.	0
30	5.42E+05	311	0.	4676	0.	0
LWC	2.84E-03	0.	0	0	0	0
MED D	17	0	0	0	0	0

INTERVAL START: 21125130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MM)
2	1.14E+03	25	0.	437	0.	280.1
4	2.49E+03	47	0.	706	0.	ALT (KM)
6	2.12E+03	67	0.	1011	0.	9.615
8	1.81E+03	87	0.	1316	0.	TEMP (C)
10	1.43E+03	103	0.	1622	0.	-42.7
12	1.16E+03	123	0.	1927	0.	FROSTPOINT
14	1.02E+03	143	0.	2233	0.	-43.4
16	1.12E+03	153	0.	2538	0.	IAS (M/S)
18	1.03E+03	183	0.	2843	0.	127.6
20	4.77E+07	203	0.	3149	0.	TOTALS
22	3.73E+07	230	0.	3454	0.	0
24	2.10E+07	250	0.	3760	0.	0
26	2.34E+07	271	0.	4065	0.	0
28	1.35E+07	291	0.	4370	0.	0
30	5.14E+05	311	0.	4676	0.	0
LWC	2.92E-03	0.	0	0	0	0
MED D	17	0	0	0	0	0

AFWL CIRRHUS STUDY BY AFSL

FLIGHT 279-07 ON 16 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 2127100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.09E+03	25	0.	0.	290.2
4	2.36E+03	47	0.	0.	
5	2.25E+03	57	0.	0.	ALT (KM)
8	1.91E+03	87	0.	0.	9.614
10	1.50E+03	105	0.	0.	TEMP (C)
12	1.27E+03	126	0.	0.	-42.8
14	9.64E+02	145	0.	0.	
15	1.12E+03	153	0.	0.	FROSTPOINT
18	1.17E+03	183	0.	0.	-43.4
20	5.62E+02	203	0.	0.	TAS (M/S)
22	3.47E+02	230	0.	0.	123.5
24	1.07E+02	250	0.	0.	
26	2.14E+02	271	0.	0.	
28	1.49E+02	291	0.	0.	
30	5.82E+05	311	0.	0.	
LWC	3.10E-03		0.	0.	0.
MED D	17		0	0	0

TOTALS

0.

0

AFWL CIRRHUS STUDY BY AFSL

FLIGHT 279-07 ON 16 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 2128100°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.33E+03	25	0.	0.	290.1
4	2.54E+03	47	0.	0.	
5	1.73E+03	57	0.	0.	ALT (KM)
8	1.53E+03	87	0.	0.	9.617
10	1.24E+03	105	0.	0.	TEMP (C)
12	1.07E+03	125	0.	0.	-42.9
14	7.13E+02	145	0.	0.	
15	9.45E+02	153	0.	0.	FROSTPOINT
18	7.73E+02	183	0.	0.	-49.4
20	3.73E+02	203	0.	0.	TAS (M/S)
22	2.96E+02	230	0.	0.	130.4
24	1.71E+02	250	0.	0.	
26	1.06E+02	271	0.	0.	
28	9.02E+05	291	0.	0.	
30	5.10E+05	311	0.	0.	
LWC	2.15E-03		0.	0.	TOTALS
MED D	15		0	0	0

TOTALS

0.

0

INTERVAL STARTS 2127130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.31E+03	25	0.53E+03	0.	273.5
4	2.36E+03	47	0.	0.	
5	2.20E+03	57	0.	0.	ALT (KM)
8	1.87E+03	87	2.44E+03	0.	9.027
10	1.38E+03	105	0.	0.	TEMP (C)
12	1.19E+03	125	0.	0.	-43.0
14	8.45E+02	145	0.	0.	
15	1.01E+03	153	0.	0.	FROSTPOINT
18	1.02E+03	183	0.	0.	-49.4
20	5.42E+02	203	0.	0.	TAS (M/S)
22	3.96E+02	230	0.	0.	123.3
24	2.49E+02	250	0.	0.	
26	2.95E+02	271	0.	0.	
28	1.61E+02	291	0.	0.	
30	1.23E+07	311	0.	0.	
LWC	3.02E-03		1.18E-05	6.79E-21	TOTALS
MED D	19		24	0	1.18E-05

TOTALS

1.18E-05

24

INTERVAL STARTS 2128130°
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.43E+03	25	0.	0.	291.0
4	2.47E+03	47	0.	0.	
5	1.75E+03	57	0.	0.	ALT (KM)
8	1.43E+03	87	0.	0.	9.594
10	1.16E+03	103	0.	0.	TEMP (C)
12	9.51E+02	125	0.	0.	-42.7
14	5.93E+02	145	0.	0.	
15	9.69E+02	153	0.	0.	FROSTPOINT
18	7.32E+02	183	0.	0.	-49.4
20	3.41E+02	203	0.	0.	TAS (M/S)
22	2.40E+02	230	0.	0.	130.4
24	1.43E+02	250	0.	0.	
26	1.32E+02	271	0.	0.	
28	8.77E+05	291	0.	0.	
30	2.04E+05	311	0.	0.	
LWC	1.98E-03		0.	0.	TOTALS
MED D	15		0	0	0

TOTALS

0.

0

AFML CIRRUS STUDY BY AFSL

30 SECOND AVERAGING

FLIGHT ETA-07 ON 16 MAR 74

INTERVAL STARTS 21130100

INTERVAL DISTRIBUTIONS (NUMBER/M*3-MM)

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)

TYPE: BULL-ROSE

TYPE: BULL-ROSE

TYPE: BULL-ROSE

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

0

0

0

0

0

0

SIZE (MM)

SCATTER PROBE

SIZE (MM)

CLOUD PROBE

SIZE (MM)

PRECIP PROBE

P (MB)

ALT (KM)

TEMP (C)

FROSTPOINT

IAS (M/S)

TOTALS

LWC

MED D

3.53E-06

65

AFML CIRRUS STUDY BY AFGL

FLIGHT 873-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 21131000
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.90E+03	26	1.30E+05	4.51E+02	281.3
4	2.33E+03	47	3.45E+04	0.	ALT (KM)
6	2.02E+03	57	4.04E+04	0.	9.273
8	1.63E+03	87	3.36E+04	0.	TEMP (C)
10	1.28E+03	104	6.20E+04	0.	1622
12	1.13E+03	126	2.54E+04	0.	1927
14	8.03E+02	149	1.43E+04	0.	-42.4
16	9.77E+02	163	3.13E+03	0.	FROSTPOINT
18	9.80E+02	183	1.35E+04	0.	-44.3
20	4.75E+02	209	9.28E+03	0.	3149
22	3.24E+02	230	7.14E+03	0.	TAS (M/S)
24	2.38E+02	250	0.	0.	3760
26	2.17E+02	271	4.53E+02	0.	132.2
28	1.45E+02	291	9.07E+02	0.	4065
30	6.61E+05	311	8.25E+02	0.	4370
LWC	2.74E-03		6.79E-04	3.87E-04	TOTALS
MED D	17		71	191	1.07E-03
					34

INTERVAL STARTS 21131300
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.68E+03	26	4.57E+04	2.33E+02	281.7
4	2.22E+03	47	9.45E+04	4.95E-01	ALT (KM)
6	1.45E+03	57	1.05E+05	0.	3.573
8	1.07E+03	87	9.50E+04	0.	TEMP (C)
10	7.72E+02	104	1.36E+05	0.	1622
12	5.92E+02	126	1.00E+05	0.	1927
14	4.13E+02	149	6.46E+04	0.	-42.3
16	5.15E+02	163	1.25E+04	0.	FROSTPOINT
18	4.11E+02	183	3.05E+04	0.	-45.3
20	2.12E+02	209	2.31E+04	0.	3149
22	1.90E+02	230	9.12E+03	0.	TAS (M/S)
24	1.33E+02	250	7.30E+03	0.	3760
26	1.33E+02	271	6.27E+03	0.	4065
28	1.33E+02	291	4.37E+03	0.	4370
30	7.31E+05	311	3.34E+03	0.	4676
LWC	1.63E-03		2.21E-03	2.09E-04	TOTALS
MED D	19		71	192	2.42E-03
					74

AFML CIRRUS STUDY BY AFGL

FLIGHT 873-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 21132100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	7.04E+03	26	1.52E+05	3.82E+02	281.5
4	1.97E+03	47	4.28E+04	1.37E+00	ALT (KM)
6	1.12E+03	57	2.31E+04	0.	9.588
8	7.89E+02	87	3.10E+04	0.	TEMP (C)
10	5.33E+02	104	9.10E+04	0.	1622
12	4.05E+02	126	3.01E+04	0.	1927
14	3.01E+02	149	3.13E+04	0.	-42.2
16	3.20E+02	163	1.02E+04	0.	FROSTPOINT
18	2.76E+02	183	2.79E+04	0.	-44.3
20	1.39E+02	209	1.56E+04	0.	3149
22	1.23E+02	230	2.02E+04	0.	TAS (M/S)
24	6.63E+05	250	5.31E+03	0.	3760
26	7.31E+05	271	5.89E+03	0.	132.3
28	4.80E+05	291	5.39E+03	0.	4065
30	4.57E+05	311	3.72E+03	0.	4370
LWC	9.71E-04		1.49E-03	3.12E-04	TOTALS
MED D	18		88	193	1.80E-03
					97

INTERVAL STARTS 21132130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	4.63E+03	26	7.41E+05	1.51E+03	281.4
4	2.15E+03	47	1.20E+05	9.44E+01	ALT (KM)
6	1.13E+03	57	4.31E+04	4.15E+00	5.585
8	8.91E+02	87	3.59E+04	0.	TEMP (C)
10	6.05E+02	104	5.36E+04	0.	1622
12	5.18E+02	126	1.33E+04	0.	1927
14	3.49E+02	149	9.46E+03	0.	-42.4
16	4.17E+02	163	3.90E+03	0.	FROSTPOINT
18	2.99E+02	183	1.53E+04	0.	-43.0
20	1.60E+02	209	1.75E+04	0.	3149
22	8.44E+05	230	1.01E+04	0.	TAS (M/S)
24	9.20E+05	250	1.13E+04	0.	3760
26	8.63E+05	271	6.25E+03	0.	4065
28	7.97E+05	291	6.79E+03	0.	4370
30	8.20E+05	311	5.31E+03	0.	4676
LWC	1.13E-03		1.44E-03	1.79E-03	TOTALS
MED D	18		97	211	3.23E-03
					154

AFML CIRRUS STUDY BY AFGL

FLIGHT 78-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 21133000
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	6.56E+03	25	4.20E+03	3.32E+02	281.3
4	2.02E+03	47	2.55E+04	2.47E+00	ALT (KM)
6	9.79E+07	67	5.19E+04	1811	9.583
8	7.66E+07	97	2.36E+04	1315	TEMP (C)
10	4.78E+07	104	2.31E+04	1622	-42.5
12	4.15E+07	123	2.39E+04	1927	0.
14	2.72E+07	143	2.35E+04	2233	0.
16	3.17E+07	159	7.77E+03	2538	0.
18	2.36E+07	183	1.33E+04	2843	0.
20	1.11E+07	203	2.47E+04	3149	0.
22	9.97E+05	230	1.61E+04	3454	0.
24	6.79E+05	250	1.46E+04	3760	0.
26	4.31E+05	271	8.66E+03	4065	0.
28	6.12E+05	291	5.15E+03	4370	0.
30	5.21E+05	311	3.50E+03	4676	0.
TOTALS					
LWC	9.01E-04	1.50E-03	3.25E-04	1.93E-03	104
MED D	18	97	193	15	104

INTERVAL STARTS 21133000
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	6.13E+03	25	3.21E+04	437	281.0
4	2.10E+03	47	8.46E+03	706	ALT (KM)
6	1.16E+03	67	2.77E+04	1011	9.595
8	7.67E+07	97	2.36E+04	1315	TEMP (C)
10	5.91E+07	104	4.65E+04	1622	-42.5
12	4.21E+07	123	2.02E+04	1927	0.
14	2.70E+07	143	1.22E+04	2233	0.
16	2.95E+07	159	5.40E+03	2538	0.
18	2.11E+07	183	4.17E+03	2843	0.
20	1.35E+07	209	3.64E+03	3149	0.
22	6.75E+05	230	1.00E+03	3454	0.
24	4.49E+05	250	1.11E+03	3760	0.
26	4.72E+05	271	0.	4065	0.
28	3.37E+05	291	0.	4370	0.
30	3.37E+05	311	0.	4676	0.
TOTALS					
LWC	7.81E-04	3.78E-04	1.35E-04	3.78E-04	55
MED D	16	55	0	15	55

AFML CIRRUS STUDY BY AFGL

FLIGHT 78-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL STARTS 21134000
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	5.49E+03	25	6.44E+04	4.45E+02	281.2
4	2.24E+03	47	6.44E+03	706	ALT (KM)
6	1.35E+03	67	1.13E+04	1011	9.593
8	9.51E+07	97	1.65E+04	1315	TEMP (C)
10	5.92E+07	104	3.17E+04	1622	-42.4
12	5.62E+07	123	2.38E+04	1927	0.
14	3.84E+07	143	1.31E+04	2233	0.
16	3.49E+07	159	5.40E+03	2538	0.
18	2.65E+07	183	7.49E+03	2843	0.
20	1.55E+07	209	5.44E+03	3149	0.
22	1.21E+07	230	3.37E+02	3454	0.
24	5.62E+05	250	0.	3760	0.
26	5.17E+05	271	4.45E+02	4065	0.
28	4.94E+05	291	4.59E+02	4370	0.
30	3.14E+05	311	4.09E+02	4676	0.
TOTALS					
LWC	9.78E-04	4.17E-04	3.80E-04	7.97E-04	153
MED D	15	71	191	153	153

INTERVAL STARTS 21134000
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	4.57E+03	25	3.21E+04	437	280.7
4	2.17E+03	47	1.59E+04	706	ALT (KM)
6	1.43E+03	67	1.59E+04	1011	9.502
8	1.09E+03	97	2.13E+04	1315	TEMP (C)
10	7.77E+07	104	3.70E+04	1622	-42.5
12	6.01E+07	123	1.91E+04	1927	0.
14	3.71E+07	143	4.46E+03	2233	0.
16	4.06E+07	159	7.70E+02	2538	0.
18	3.85E+07	183	4.18E+03	2843	0.
20	1.61E+07	209	4.20E+03	3149	0.
22	1.04E+07	230	3.01E+03	3454	0.
24	6.57E+05	250	2.24E+03	3760	0.
26	7.47E+05	271	9.71E+02	4065	0.
28	4.74E+05	291	4.20E+02	4370	0.
30	2.48E+05	311	3.82E+02	4676	0.
TOTALS					
LWC	1.06E-03	4.20E-04	1.79E-04	6.00E-04	93
MED D	16	73	191	93	93

AFML CIRRUS STUDY BY AF51

FLIGHT F7A-07 ON 18 MAR 78 30 SECOND AVERAGING
 INTERVAL START: 21135100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.56E+08	26	3.28E+04	437	0.	280.7
4	2.57E+08	47	0.	706	0.	ALT (KM)
6	1.58E+08	67	0.	1011	0.	9.502
8	1.23E+08	87	0.	1316	0.	TEMP (C)
10	8.52E+07	108	0.	1622	0.	-42.7
12	5.50E+07	128	0.	1927	0.	FROSTPOINT
14	3.73E+07	148	0.	2233	0.	-43.0
16	4.47E+07	168	0.	2538	0.	FROSTPOINT
18	3.44E+07	188	0.	2843	0.	-44.3
20	1.19E+07	208	0.	3149	0.	IAS (M/S)
22	3.40E+05	230	0.	3454	0.	131.4
24	4.81E+05	250	0.	3760	0.	131.1
26	2.75E+05	271	0.	4065	0.	TOTALS
28	3.89E+05	291	0.	4370	0.	LWC 1.00E-03
30	5.06E+05	311	0.	4676	0.	MED 0 15
LWC	1.00E-03		4.17E-05		0.	4.17E-06
MED 0	15		22		0	22

AFML CIRRUS STUDY BY AF51

FLIGHT F7A-07 ON 18 MAR 78 30 SECOND AVERAGING
 INTERVAL START: 21136100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.46E+08	26	0.	437	0.	280.7
4	2.91E+08	47	0.	706	0.	ALT (KM)
6	2.36E+08	67	0.	1011	0.	9.502
8	1.82E+08	87	0.	1316	0.	TEMP (C)
10	1.37E+08	108	0.	1622	0.	-42.7
12	1.05E+08	128	0.	1927	0.	FROSTPOINT
14	7.60E+07	148	0.	2233	0.	-43.0
16	7.81E+07	168	0.	2538	0.	FROSTPOINT
18	6.98E+07	188	8.52E+02	2843	0.	-43.3
20	2.79E+07	208	0.	3149	0.	IAS (M/S)
22	2.12E+07	230	0.	3454	0.	131.1
24	1.61E+07	250	0.	3760	0.	131.1
26	8.29E+05	271	0.	4065	0.	TOTALS
28	7.37E+05	291	0.	4370	0.	LWC 1.90E-03
30	3.22E+05	311	0.	4676	0.	MED 0 16
LWC	1.90E-03		5.47E-05		0.	5.47E-06
MED 0	16		84		0	84

INTERVAL START: 21135130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.87E+08	26	6.56E+04	437	0.	280.7
4	2.78E+08	47	8.53E+04	706	0.	ALT (KM)
6	1.97E+08	67	4.05E+03	1011	0.	9.502
8	1.61E+08	87	9.54E+03	1316	0.	TEMP (C)
10	1.11E+08	108	0.	1622	0.	-42.7
12	8.19E+07	128	0.	1927	0.	FROSTPOINT
14	6.09E+07	148	0.	2233	0.	-44.0
16	6.92E+07	168	0.	2538	0.	IAS (M/S)
18	6.11E+07	188	0.	2843	0.	131.4
20	2.51E+07	208	0.	3149	0.	131.4
22	1.15E+07	230	0.	3454	0.	TOTALS
24	1.06E+07	250	0.	3760	0.	LWC 2.33E-05
26	9.43E+05	271	0.	4065	0.	MED 0 16
28	5.29E+05	291	0.	4370	0.	2.33E-05
30	2.53E+05	311	0.	4676	0.	44
LWC	1.54E-03		2.33E-05		0.	2.83E-05
MED 0	16		44		0	44

INTERVAL START: 21136130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.54E+08	26	0.	437	0.	281.0
4	2.65E+08	47	0.	706	0.	ALT (KM)
6	2.36E+08	67	0.	1011	0.	9.594
8	1.94E+08	87	0.	1316	0.	TEMP (C)
10	1.38E+08	108	0.	1622	0.	-42.7
12	1.13E+08	128	0.	1927	0.	FROSTPOINT
14	7.53E+07	148	0.	2233	0.	-42.7
16	9.65E+07	168	0.	2538	0.	IAS (M/S)
18	7.84E+07	188	0.	2843	0.	130.5
20	3.75E+07	208	0.	3149	0.	TOTALS
22	2.43E+07	230	0.	3454	0.	LWC 2.21E-03
24	1.69E+07	250	0.	3760	0.	MED 0 15
26	1.27E+07	271	0.	4065	0.	2.21E-03
28	8.55E+05	291	0.	4370	0.	15
30	4.86E+05	311	0.	4676	0.	0.
LWC	2.21E-03		0.		0.	0.
MED 0	15		0		0	0

AFAL CIRRHUS STUDY BY AFGL

FLIGHT 273-07 ON 15 MAR 73 30 SECOND AVERAGING

INTERVAL START: 21137100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-M4)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.47E+03	25	0.	437	0.	281.1
4	2.89E+03	47	0.	706	0.	ALT (KM)
6	2.26E+03	67	0.	1011	0.	3.59
8	1.62E+03	87	0.	1316	0.	TEMP (C)
10	1.22E+03	106	0.	1622	0.	-42.4
12	1.05E+03	126	1.22E+03	1927	0.	FROSTPOINT
14	7.25E+07	143	0.	2233	0.	-42.6
16	6.89E+07	169	0.	2538	0.	TAS (M/S)
18	6.82E+07	183	0.	2843	0.	130.3
20	3.53E+07	203	0.	3149	0.	TOTALS
22	1.60E+07	230	0.	3454	0.	3.59E-06
24	1.20E+07	250	0.	3760	0.	65
26	6.31E+05	271	0.	4065	0.	0.
28	4.85E+05	291	0.	4370	0.	0.
30	2.31E+05	311	0.	4676	0.	0.
LWC	1.82E-03		3.59E-06		0.	
MED D	16		65		0.	

41

AFAL CIRRHUS STUDY BY AFGL

FLIGHT 273-07 ON 15 MAR 73 30 SECOND AVERAGING

INTERVAL START: 21138100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-M4)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.21E+03	25	0.	437	0.	280.3
4	2.65E+03	47	0.	706	0.	ALT (KM)
6	2.37E+03	67	0.	1011	0.	3.59
8	1.93E+03	87	0.	1316	0.	TEMP (C)
10	1.36E+03	106	0.	1622	0.	-42.5
12	1.14E+03	126	0.	1927	0.	FROSTPOINT
14	8.85E+07	143	0.	2233	0.	-43.1
16	1.01E+08	169	0.	2538	0.	TAS (M/S)
18	8.43E+07	183	0.	2843	0.	130.5
20	4.23E+07	203	0.	3149	0.	TOTALS
22	2.61E+07	230	0.	3454	0.	0.
24	1.50E+07	250	0.	3760	0.	0.
26	1.48E+07	271	0.	4065	0.	0.
28	9.25E+05	291	0.	4370	0.	0.
30	5.32E+05	311	0.	4676	0.	0.
LWC	2.35E-03		0.		0.	
MED D	16		0.		0.	

INTERVAL START: 21137100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-M4)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.31E+03	25	0.	437	0.	281.0
4	2.71E+03	47	0.	706	0.	ALT (KM)
6	2.33E+03	67	0.	1011	0.	3.59
8	1.90E+03	87	0.	1316	0.	TEMP (C)
10	1.31E+03	106	0.	1622	0.	-42.5
12	1.15E+03	126	0.	1927	0.	FROSTPOINT
14	8.03E+07	143	0.	2233	0.	-42.9
16	8.66E+07	169	0.	2538	0.	TAS (M/S)
18	8.79E+07	183	0.	2843	0.	130.3
20	4.19E+07	203	0.	3149	0.	TOTALS
22	2.57E+07	230	0.	3454	0.	0.
24	1.49E+07	250	0.	3760	0.	0.
26	1.34E+07	271	0.	4065	0.	0.
28	6.94E+05	291	0.	4370	0.	0.
30	3.93E+05	311	0.	4676	0.	0.
LWC	2.24E-03		0.		0.	
MED D	16		0.		0.	

INTERVAL START: 21138100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-M4)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.17E+03	25	0.	437	0.	280.3
4	2.79E+03	47	0.	706	0.	ALT (KM)
6	2.20E+03	67	0.	1011	0.	3.59
8	1.85E+03	87	0.	1316	0.	TEMP (C)
10	1.43E+03	106	0.	1622	0.	-42.7
12	1.13E+03	126	0.	1927	0.	FROSTPOINT
14	8.88E+07	143	0.	2233	0.	-42.3
16	9.40E+07	169	0.	2538	0.	TAS (M/S)
18	9.15E+07	183	0.	2843	0.	130.5
20	3.93E+07	203	0.	3149	0.	TOTALS
22	2.77E+07	230	0.	3454	0.	0.
24	1.60E+07	250	0.	3760	0.	0.
26	1.20E+07	271	0.	4065	0.	0.
28	5.75E+05	291	0.	4370	0.	0.
30	3.93E+05	311	0.	4676	0.	0.
LWC	2.28E-03		0.		0.	
MED D	15		0.		0.	

AFWL CIRRUS STUDY BY AFGL

FLIGHT 673-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 21139100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³·MM)

TYPE 3000-2052

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (48)
2	1.15E+03	26	0.	437	0.	289.9
4	2.67E+03	47	0.	705	0.	ALT (48)
6	2.33E+03	67	4.05E+03	1011	0.	3.597
8	2.13E+03	97	0.	1316	0.	
10	1.43E+03	103	0.	1622	0.	TEMP (C)
12	1.32E+03	123	0.	1927	0.	-42.7
14	1.01E+03	143	0.	2233	0.	
16	1.09E+03	163	0.	2538	0.	FROSTPOINT
18	1.03E+03	183	0.	2843	0.	-42.2
20	4.82E+07	203	0.	3149	0.	
22	3.61E+07	223	0.	3454	0.	IAS (M/S)
24	2.13E+07	250	0.	3760	0.	131.6
26	1.83E+07	271	0.	4065	0.	
28	1.15E+07	291	0.	4370	0.	
30	3.01E+03	311	0.	4676	0.	
LWC	2.77E+03		3.10E-06		0.	TOTALS
48		16	42		0	3.30E-06

INTERVAL START: 21:39:30

TABLE 1. PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³·MM)

TYPE: AULL-ROSE

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

Cloud

[illegible]

AFML CIRRUS STUDY BY AFGL

ELIGAY 273-07 ON 18 MAR 73 - 30 SECOND AVERAGING

INTERVAL START 21140100

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³·M)

35C(R-77N6 136A1
TYPE 1 FULL R35

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECP PROBE	P (MB)
2	2.19E+03	26	0.	437	0.	231.3
4	2.78E+03	47	1.76E+04	706	0.	ALT (KM)
6	2.15E+03	67	0.	1011	0.	9.588
8	1.57E+03	87	0.	1316	0.	TEMP (C)
10	1.20E+03	104	0.	1622	0.	-7.4
12	8.58E+07	123	0.	1927	0.	FROSTPOINT
14	6.33E+07	146	0.	2233	0.	-42.4
16	7.50E+07	159	0.	2538	0.	-42.4
18	5.65E+07	184	0.	2843	0.	TAS (M/S)
20	2.11E+07	203	0.	3143	0.	123.8
22	2.16E+07	230	0.	3450	0.	
24	7.73E+05	250	0.	3760	0.	
26	7.03E+05	271	0.	4065	0.	
28	4.45E+05	291	0.	4370	0.	
30	1.64E+05	311	0.	4676	0.	
LWC	1.52E-03		6.36E-05		0.	TOTALS
WED 0	15		33		0	6.96E-06
						33

INTERVAL START: 211401300

TM-3000 (MIL-3000)

TYPE: BULL-DOSE

5500

2-000 51

[illegible]

AFGL CIRRUS STUDY BY AFGL

FLIGHT 673-07 ON 18 MAR 73 30 SECOND AVERAGING
INTERVAL START: 21141100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.23E+03	26	0.	437	0.	281.2
4	2.93E+03	47	0.	706	0.	ALT (KM)
6	2.47E+03	57	0.	1011	0.	9.595
8	1.96E+03	87	0.	1316	0.	TEMP (C)
10	1.43E+03	108	0.	1622	0.	-42.5
12	1.31E+03	123	0.	1927	0.	FROSTPOINT
14	8.71E+02	143	0.	2233	0.	-44.6
16	1.12E+03	153	0.	2536	0.	IAS (M/S)
18	8.82E+02	183	0.	2843	0.	123.6
20	3.76E+02	203	0.	3149	0.	TOTALS
22	2.50E+02	230	0.	3454	0.	0.
24	1.48E+02	250	0.	3760	0.	0
26	8.25E+02	271	0.	4065	0.	0
28	4.45E+03	291	0.	4370	0.	0
30	1.41E+03	311	0.	4676	0.	0
LWC	2.15E-03	0.	0	0.	0.	0.
MED D	16	0	0	0	0	0

INTERVAL START: 21141130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.28E+03	26	0.	437	0.	281.0
4	2.78E+03	47	0.	706	0.	ALT (KM)
6	2.48E+03	57	0.	1011	0.	9.595
8	1.94E+03	87	0.	1316	0.	TEMP (C)
10	1.52E+03	108	0.	1622	0.	-42.5
12	1.35E+03	123	0.	1927	0.	FROSTPOINT
14	8.76E+02	148	0.	2233	0.	-45.0
16	1.12E+03	154	0.	2536	0.	IAS (M/S)
18	9.43E+02	183	0.	2843	0.	123.6
20	3.75E+02	203	0.	3149	0.	TOTALS
22	2.93E+02	230	0.	3454	0.	0.
24	2.24E+02	250	0.	3760	0.	0
26	1.58E+02	271	0.	4065	0.	0
28	9.08E+02	291	0.	4370	0.	0
30	3.95E+03	311	0.	4676	0.	0
LWC	2.53E-03	0.	0	0.	0.	0.
MED D	16	0	0	0	0	0

AFGL CIRRUS STUDY BY AFGL

FLIGHT 673-07 ON 18 MAR 73 30 SECOND AVERAGING
INTERVAL START: 21142100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.24E+03	26	0.	437	0.	280.9
4	2.85E+03	47	0.	706	0.	ALT (KM)
6	2.44E+03	57	0.	1011	0.	9.595
8	1.98E+03	87	0.	1316	0.	TEMP (C)
10	1.37E+03	108	0.	1622	0.	-42.5
12	1.21E+03	128	0.	1927	0.	FROSTPOINT
14	9.05E+02	148	0.	2233	0.	-43.9
16	1.05E+03	153	0.	2536	0.	IAS (M/S)
18	9.76E+02	183	0.	2843	0.	123.3
20	3.66E+02	203	0.	3149	0.	TOTALS
22	2.54E+02	230	0.	3454	0.	0.
24	1.84E+02	250	0.	3760	0.	0
26	1.38E+02	271	0.	4065	0.	0
28	7.00E+02	291	0.	4370	0.	0
30	3.03E+03	311	0.	4676	0.	0
LWC	2.35E-03	0.	0	0.	0.	0.
MED D	16	0	0	0	0	0

INTERVAL START: 21142130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.23E+03	26	0.	437	0.	281.0
4	2.79E+03	47	0.	706	0.	ALT (KM)
6	2.43E+03	57	0.	1011	0.	9.595
8	1.76E+03	87	0.	1316	0.	TEMP (C)
10	1.44E+03	108	0.	1622	0.	-42.5
12	1.05E+03	128	0.	1927	0.	FROSTPOINT
14	7.64E+02	143	0.	2233	0.	-42.9
16	8.61E+02	153	0.	2536	0.	IAS (M/S)
18	8.12E+02	183	0.	2843	0.	130.1
20	3.62E+02	203	0.	3149	0.	TOTALS
22	2.34E+02	230	0.	3454	0.	0.
24	1.42E+02	250	0.	3760	0.	0
26	1.48E+02	271	0.	4065	0.	0
28	6.27E+02	291	0.	4370	0.	0
30	4.17E+03	311	0.	4676	0.	0
LWC	2.11E-03	0.	0	0.	0.	0.
MED D	16	0	0	0	0	0

AFWL CIRRUS STUDY BY AFGL

FLIGHT 675-07 ON 18 MAR 75 30 SECOND AVERAGING
INTERVAL START: 21143100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.41E+03	25	0.	437	0.	240.3
4	2.85E+03	47	0.	705	0.	ALT (KM)
6	2.35E+03	57	0.	1011	0.	3.593
8	1.65E+03	87	0.	1316	0.	
10	1.36E+03	108	0.	1622	0.	TEMP (C)
12	1.10E+03	129	0.	1927	0.	-42.5
14	7.84E+02	148	0.	2233	0.	
16	6.42E+02	159	0.	2536	0.	FROSTPOINT
18	7.42E+02	183	0.	2843	0.	-42.5
20	3.37E+02	209	0.	3149	0.	
22	2.24E+02	230	0.	3454	0.	IAS (M/S)
24	1.28E+02	250	0.	3760	0.	123.8
26	3.31E+02	271	0.	4065	0.	
28	6.98E+02	291	0.	4370	0.	
30	4.19E+02	311	0.	4676	0.	
LWC	1.54E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

INTERVAL START: 21143130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.34E+03	25	0.	437	0.	251.1
4	2.78E+03	47	0.	705	0.	ALT (KM)
6	2.31E+03	57	0.	1011	0.	3.592
8	1.62E+03	87	0.	1316	0.	
10	1.35E+03	108	0.	1622	0.	TEMP (C)
12	1.10E+03	128	0.	1927	0.	-42.3
14	6.44E+02	148	0.	2233	0.	
16	5.41E+02	159	0.	2539	0.	FROSTPOINT
18	8.12E+02	183	0.	2843	0.	-42.6
20	3.54E+02	209	0.	3149	0.	
22	2.22E+02	230	0.	3454	0.	IAS (M/S)
24	1.53E+02	250	0.	3760	0.	126.7
26	1.04E+02	271	0.	4065	0.	
28	5.87E+02	291	0.	4370	0.	
30	1.18E+03	311	0.	4676	0.	
LWC	2.03E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

AFWL CIRRUS STUDY BY AFGL

FLIGHT 675-07 ON 18 MAR 75 30 SECOND AVERAGING
INTERVAL START: 21144100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.64E+03	25	0.	437	0.	251.4
4	2.71E+03	47	0.	705	0.	ALT (KM)
6	2.30E+03	57	0.	1011	0.	3.585
8	1.67E+03	87	0.	1316	0.	
10	1.46E+03	108	0.	1622	0.	TEMP (C)
12	1.15E+03	129	0.	1927	0.	-41.8
14	6.59E+02	148	0.	2233	0.	
16	1.03E+03	159	0.	2536	0.	FROSTPOINT
18	1.04E+03	183	0.	2843	0.	-44.0
20	4.75E+02	209	0.	3149	0.	
22	3.52E+02	230	0.	3454	0.	IAS (M/S)
24	2.39E+02	250	0.	3760	0.	126.6
26	1.62E+02	271	0.	4065	0.	
28	1.13E+02	291	0.	4370	0.	
30	1.64E+03	311	0.	4676	0.	
LWC	2.62E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

INTERVAL START: 21144130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.34E+03	25	0.	437	0.	251.2
4	2.87E+03	47	0.	705	0.	ALT (KM)
6	2.39E+03	57	0.	1011	0.	3.590
8	1.90E+03	87	0.	1316	0.	
10	1.34E+03	108	0.	1622	0.	TEMP (C)
12	1.10E+03	128	0.	1927	0.	-41.8
14	5.61E+02	148	0.	2233	0.	
16	9.32E+02	159	0.	2538	0.	FROSTPOINT
18	8.75E+02	183	0.	2843	0.	-46.5
20	3.55E+02	209	0.	3149	0.	
22	2.54E+02	230	0.	3454	0.	IAS (M/S)
24	1.34E+02	250	0.	3760	0.	123.3
26	1.02E+02	271	0.	4065	0.	
28	4.70E+02	291	0.	4370	0.	
30	1.65E+03	311	0.	4676	0.	
LWC	2.07E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

AFGL CIRRUS STUDY BY AFGL

FLIGHT 178-07 ON 14 MAR 74 30 SECOND AVERAGING

INTERVAL START: 21145100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.04E+03	25	0.	437	0.	281.4
4	2.72E+03	47	1.77E+04	706	0.	ALT (KM)
6	2.19E+03	67	0.	1011	0.	3456
8	1.69E+03	87	0.	1316	0.	
10	1.16E+03	108	0.	1622	0.	TEMP (C)
12	9.84E+07	128	0.	1927	0.	-41.6
14	6.87E+07	148	0.	2233	0.	
16	7.56E+07	169	0.	2539	0.	FROSTPOINT
18	6.90E+07	189	0.	2843	0.	-43.7
20	3.32E+07	209	0.	3149	0.	
22	1.81E+07	230	0.	3454	0.	IAS (M/S)
24	1.44E+07	250	0.	3760	0.	129.2
26	9.24E+05	271	0.	4065	0.	
28	5.65E+05	291	0.	4370	0.	
30	2.12E+05	311	0.	4676	0.	
LWC	1.77E-03	33	7.00E-06	0.	0.	TOTALS
MED D	16	33	0.	0.	0.	7.00E-06

INTERVAL START: 21145130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.32E+04	26	0.	437	0.	261.2
4	2.67E+03	47	0.	706	0.	ALT (KM)
6	2.07E+03	67	0.	1011	0.	34591
8	1.61E+03	87	0.	1316	0.	
10	1.11E+03	108	0.	1622	0.	TEMP (C)
12	9.60E+07	128	0.	1927	0.	-41.3
14	6.71E+07	148	0.	2233	0.	
16	6.97E+07	169	0.	2539	0.	FROSTPOINT
18	5.69E+07	189	0.	2843	0.	-43.4
20	2.69E+07	209	0.	3149	0.	
22	1.74E+07	230	0.	3454	0.	IAS (M/S)
24	9.38E+05	250	0.	3760	0.	129.6
26	6.41E+05	271	0.	4065	0.	
28	4.63E+05	291	0.	4370	0.	
30	1.88E+05	311	0.	4676	0.	
LWC	1.57E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

AFGL CIRRUS STUDY BY AFGL

FLIGHT 178-07 ON 14 MAR 74 30 SECOND AVERAGING

INTERVAL START: 21145100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.33E+03	25	0.	437	0.	290.9
4	2.69E+03	47	0.	706	0.	ALT (KM)
6	2.02E+03	67	0.	1011	0.	9.596
8	1.60E+03	87	0.	1316	0.	
10	1.10E+03	108	0.	1622	0.	TEMP (C)
12	8.18E+07	128	0.	1927	0.	-42.2
14	6.24E+07	148	0.	2233	0.	
16	6.54E+07	169	0.	2539	0.	FROSTPOINT
18	4.91E+07	189	0.	2843	0.	-43.1
20	2.57E+07	209	0.	3149	0.	
22	1.75E+07	230	0.	3454	0.	IAS (M/S)
24	1.05E+07	250	0.	3760	0.	129.2
26	5.88E+05	271	0.	4065	0.	
28	4.91E+05	291	0.	4370	0.	
30	1.67E+05	311	0.	4676	0.	
LWC	1.51E-03	0.	0.	0.	0.	TOTALS
MED D	16	0.	0.	0.	0.	0.

INTERVAL START: 21145130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.72E+03	26	0.	437	0.	280.3
4	2.98E+03	47	0.	706	0.	ALT (KM)
6	2.20E+03	67	0.	1011	0.	9.593
8	1.73E+03	87	0.	1316	0.	
10	1.23E+03	108	0.	1622	0.	TEMP (C)
12	1.02E+03	128	0.	1927	0.	-41.5
14	6.20E+07	148	0.	2233	0.	
16	7.65E+07	169	0.	2539	0.	FROSTPOINT
18	5.02E+07	189	0.	2843	0.	-43.0
20	2.20E+07	209	0.	3149	0.	
22	1.81E+07	230	0.	3454	0.	IAS (M/S)
24	1.04E+07	250	0.	3760	0.	130.4
26	4.65E+05	271	0.	4065	0.	
28	2.78E+05	291	0.	4370	0.	
30	1.33E+05	311	0.	4676	0.	
LWC	1.52E-03	0.	0.	0.	0.	TOTALS
MED D	15	0.	0.	0.	0.	0.

AFML CIRRUS STUDY BY AF5L

FLIGHT 173-07 ON 18 MAR 75 30 SECOND AVERAGING
INTERVAL START: 21:47:00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	2.20E+03	25	0.	437	0.	280.8
4	2.65E+03	47	0.	706	0.	ALT (KM)
6	2.28E+03	57	0.	1011	0.	9.587
8	1.63E+03	87	0.	1315	0.	TEMP (C)
10	1.13E+03	103	0.	1622	0.	-41.5
12	1.02E+03	123	0.	1927	0.	FROSTPOINT
14	5.77E+07	143	0.	2233	0.	-46.7
16	5.66E+07	163	0.	2538	0.	TAS (M/S)
18	5.15E+07	183	0.	2843	0.	130.8
20	2.31E+07	203	0.	3149	0.	TOTALS
22	1.27E+07	223	0.	3454	0.	0.
24	7.35E+05	243	0.	3760	0.	0.
26	6.46E+05	263	0.	4065	0.	0.
28	3.23E+05	283	0.	4370	0.	0.
30	2.31E+05	311	0.	4676	0.	0.
LWC	1.42E-03	0.	0.	0.	0.	0.
MED	15	0	0	0	0	0

INTERVAL START: 21:47:00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	2.03E+03	25	0.	437	0.	261.1
4	2.49E+03	47	0.	706	0.	ALT (KM)
6	2.12E+03	57	0.	1011	0.	8.595
8	1.44E+03	87	0.	1315	0.	TEMP (C)
10	1.13E+03	103	0.	1622	0.	-41.5
12	9.14E+07	123	0.	1927	0.	FROSTPOINT
14	5.82E+07	143	0.	2233	0.	-43.4
16	5.52E+07	163	0.	2538	0.	TAS (M/S)
18	5.64E+07	183	0.	2843	0.	130.2
20	2.55E+07	203	0.	3149	0.	TOTALS
22	1.02E+07	223	0.	3454	0.	0.
24	1.04E+07	243	0.	3760	0.	0.
26	1.07E+07	263	0.	4065	0.	0.
28	6.46E+05	283	0.	4370	0.	0.
30	1.13E+05	311	0.	4676	0.	0.
LWC	1.53E-03	0.	0.	0.	0.	0.
MED	16	0	0	0	0	0

AFML CIRRUS STUDY BY AF5L

FLIGHT 173-07 ON 18 MAR 75 30 SECOND AVERAGING
INTERVAL START: 21:48:00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.44E+03	25	0.	437	0.	280.8
4	2.92E+03	47	0.	706	0.	ALT (KM)
6	2.47E+03	57	0.	1011	0.	9.601
8	2.05E+03	87	2.43E+03	1315	0.	TEMP (C)
10	1.42E+03	103	0.	1622	0.	-41.5
12	1.03E+03	123	0.	1927	0.	FROSTPOINT
14	7.27E+07	143	0.	2233	0.	-43.4
16	8.60E+07	163	0.	2538	0.	TAS (M/S)
18	7.91E+07	183	0.	2843	0.	130.9
20	3.44E+07	203	0.	3149	0.	TOTALS
22	2.22E+07	223	0.	3454	0.	0.
24	1.03E+07	243	0.	3760	0.	0.
26	8.30E+05	263	0.	4065	0.	0.
28	5.07E+05	283	0.	4370	0.	0.
30	1.33E+05	311	0.	4676	0.	0.
LWC	1.90E-03	15	3.34E-05	50	0.	0.
MED	0	0	0	0	0	0

INTERVAL START: 21:48:00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.55E+03	26	0.	437	0.	261.1
4	2.65E+03	47	0.	706	0.	ALT (KM)
6	2.30E+03	57	0.	1011	0.	9.583
8	1.65E+03	87	0.	1315	0.	TEMP (C)
10	1.23E+03	108	0.	1622	0.	-41.5
12	1.05E+03	125	0.	1927	0.	FROSTPOINT
14	7.40E+07	143	0.	2233	0.	-43.4
16	6.14E+07	153	0.	2538	0.	TAS (M/S)
18	6.66E+07	153	0.	2843	0.	130.5
20	3.12E+07	203	0.	3149	0.	TOTALS
22	1.92E+07	230	0.	3454	0.	0.
24	1.32E+07	250	0.	3760	0.	0.
26	1.02E+07	271	0.	4065	0.	0.
28	5.01E+05	291	0.	4370	0.	0.
30	3.00E+05	311	0.	4676	0.	0.
LWC	1.85E-03	16	0.	0.	0.	0.
MED	0	0	0	0	0	0

AFML CIRRUS STUDY BY AFSL

FLIGHT 873-07 ON 10 MAR 78 30 SECOND AVERAGING
INTERVAL START: 211430.00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.77E+03	26	0.	437	0.	280.9
4	2.79E+03	47	0.	706	0.	ALT (KM)
6	2.23E+03	57	0.	1011	0.	9.598
8	1.62E+03	87	0.	1316	0.	TEMP (C)
10	1.13E+03	103	0.	1622	0.	-41.6
12	1.04E+03	123	0.	1927	0.	FROSTPOINT
14	6.74E+02	143	0.	2233	0.	-3.4
16	7.21E+02	153	0.	2538	0.	IAS (M/S)
18	6.81E+02	183	0.	2843	0.	130.2
20	2.97E+02	203	0.	3149	0.	0.
22	1.69E+02	223	0.	3454	0.	TOTALS
24	9.04E+02	243	0.	3760	0.	LWC 1.61E-03
26	8.34E+02	271	0.	4065	0.	MED 0
28	3.01E+02	291	0.	4370	0.	0
30	6.96E+02	311	0.	4676	0.	0
LWC	1.61E-03	0.	0.	0.	0.	0.
MED 0	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFSL

FLIGHT 873-07 ON 10 MAR 78 30 SECOND AVERAGING
INTERVAL START: 211500.00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.87E+03	26	0.	437	0.	280.9
4	2.70E+03	47	0.	706	0.	ALT (KM)
6	1.90E+03	57	0.	1011	0.	9.597
8	1.53E+03	87	0.	1316	0.	TEMP (C)
10	1.11E+03	103	0.	1622	0.	-41.5
12	8.01E+02	123	0.	1927	0.	FROSTPOINT
14	5.51E+02	143	0.	2233	0.	-3.4
16	6.20E+02	153	0.	2538	0.	IAS (M/S)
18	4.54E+02	183	0.	2843	0.	130.4
20	2.11E+02	203	0.	3149	0.	0.
22	1.41E+02	223	0.	3454	0.	TOTALS
24	7.18E+02	250	0.	3760	0.	LWC 1.31E-03
26	7.18E+02	271	0.	4065	0.	MED 0
28	4.17E+02	291	0.	4370	0.	0
30	6.99E+02	311	0.	4676	0.	0
LWC	1.31E-03	0.	0.	0.	0.	0.
MED 0	15	0	0	0	0	0

INTERVAL START: 211430.00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.21E+03	26	0.	437	0.	280.9
4	2.79E+03	47	0.	706	0.	ALT (KM)
6	1.93E+03	57	0.	1011	0.	9.598
8	1.54E+03	87	0.	1316	0.	TEMP (C)
10	1.14E+03	103	0.	1622	0.	-41.6
12	9.37E+02	123	0.	1927	0.	FROSTPOINT
14	6.75E+02	143	0.	2233	0.	-3.4
16	6.56E+02	153	0.	2538	0.	IAS (M/S)
18	5.40E+02	183	0.	2843	0.	130.2
20	2.67E+02	203	0.	3149	0.	0.
22	1.60E+02	223	0.	3454	0.	TOTALS
24	9.61E+02	250	0.	3760	0.	LWC 1.45E-03
26	8.95E+02	271	0.	4065	0.	MED 0
28	2.08E+02	291	0.	4370	0.	0
30	2.32E+02	311	0.	4676	0.	0
LWC	1.45E-03	0.	0.	0.	0.	0.
MED 0	15	0	0	0	0	0

INTERVAL START: 211500.00
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.73E+03	26	0.	437	0.	280.9
4	2.83E+03	47	0.	706	0.	ALT (KM)
6	2.24E+03	57	0.	1011	0.	9.599
8	1.74E+03	87	0.	1316	0.	TEMP (C)
10	1.27E+03	103	0.	1622	0.	-41.7
12	1.11E+03	123	0.	1927	0.	FROSTPOINT
14	7.13E+02	143	0.	2233	0.	-3.4
16	8.34E+02	153	0.	2538	0.	IAS (M/S)
18	6.74E+02	183	0.	2843	0.	130.4
20	2.76E+02	203	0.	3149	0.	0.
22	1.92E+02	223	0.	3454	0.	TOTALS
24	8.34E+02	250	0.	3760	0.	LWC 1.62E-03
26	8.11E+02	271	0.	4065	0.	MED 0
28	2.58E+02	291	0.	4370	0.	0
30	1.62E+02	311	0.	4676	0.	0
LWC	1.62E-03	0.	0.	0.	0.	0.
MED 0	15	0	0	0	0	0

AFWL CIRRUS STUDY BY AFSL

FLIGHT E75-07 ON 16 MAR 78 30 SECOND AVERAGING

INTERVAL START: 21151000

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.25E+03	25	0.	437	0.	250.9
4	2.82E+03	47	0.	706	0.	ALT (KM)
6	2.33E+03	57	0.	1011	0.	9.598
8	1.96E+03	87	0.	1316	0.	TEMP (C)
10	1.58E+03	108	0.	1622	0.	-41.7
12	1.10E+03	129	0.	1927	0.	FROSTPOINT
14	8.47E+02	149	0.	2233	0.	-43.4
16	1.15E+03	169	0.	2538	0.	IAS (M/S)
18	9.95E+02	189	0.	2843	0.	130.2
20	4.01E+02	209	0.	3149	0.	TOTALS
22	2.85E+02	230	0.	3454	0.	
24	1.67E+02	250	0.	3760	0.	
26	1.62E+02	271	0.	4065	0.	
28	1.30E+02	291	0.	4370	0.	
30	3.25E+02	311	0.	4676	0.	
LWC	2.53E-03		0.		0.	0.
MED D	16		0		0	0

INTERVAL START: 21151300

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.50E+03	26	0.	437	0.	250.9
4	3.05E+03	47	0.	706	0.	ALT (KM)
6	2.29E+03	57	0.	1011	0.	9.598
8	1.62E+03	87	0.	1316	0.	TEMP (C)
10	1.28E+03	108	0.	1622	0.	-41.7
12	1.13E+03	129	0.	1927	0.	FROSTPOINT
14	7.77E+02	149	0.	2233	0.	-43.0
16	3.91E+02	169	0.	2538	0.	IAS (M/S)
18	6.82E+02	189	0.	2843	0.	130.6
20	3.65E+02	209	0.	3149	0.	TOTALS
22	2.50E+02	230	0.	3454	0.	
24	3.94E+02	250	0.	3760	0.	
26	3.25E+02	271	0.	4065	0.	
28	6.29E+02	291	0.	4370	0.	
30	2.54E+02	311	0.	4676	0.	
LWC	1.92E-03		0.		0.	0.
MED D	16		0		0	0

AFWL CIRRUS STUDY BY AFSL

FLIGHT E75-07 ON 16 MAR 78 30 SECOND AVERAGING

INTERVAL START: 21152400

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.64E+03	25	0.	437	0.	250.9
4	2.89E+03	47	0.	706	0.	ALT (KM)
6	2.10E+03	57	0.	1011	0.	9.598
8	1.65E+03	87	0.	1316	0.	TEMP (C)
10	1.11E+03	108	0.	1622	0.	-41.7
12	9.41E+02	129	0.	1927	0.	FROSTPOINT
14	7.29E+02	149	0.	2233	0.	-48.1
16	7.05E+02	169	0.	2538	0.	IAS (M/S)
18	5.67E+02	189	0.	2843	0.	130.8
20	2.88E+02	209	0.	3149	0.	TOTALS
22	1.64E+02	230	0.	3454	0.	
24	1.01E+02	250	0.	3760	0.	
26	6.23E+02	271	0.	4065	0.	
28	4.38E+02	291	0.	4370	0.	
30	2.08E+02	311	0.	4676	0.	
LWC	1.57E-03		0.		0.	0.
MED D	15		0		0	0

INTERVAL START: 21152830

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	1.75E+03	26	0.	437	0.	250.9
4	2.71E+03	47	0.	706	0.	ALT (KM)
6	2.00E+03	57	0.	1011	0.	9.598
8	1.64E+03	87	0.	1316	0.	TEMP (C)
10	1.11E+03	108	0.	1622	0.	-41.7
12	8.32E+02	129	0.	1927	0.	FROSTPOINT
14	6.59E+02	149	0.	2233	0.	-47.8
16	7.12E+02	169	0.	2538	0.	IAS (M/S)
18	5.59E+02	189	0.	2843	0.	131.0
20	2.67E+02	209	0.	3149	0.	TOTALS
22	1.71E+02	230	0.	3454	0.	
24	8.53E+02	250	0.	3760	0.	
26	8.07E+02	271	0.	4065	0.	
28	4.64E+02	291	0.	4370	0.	
30	1.38E+02	311	0.	4676	0.	
LWC	1.57E-03		0.		0.	0.
MED D	16		0		0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT E73-07 ON 13 MAR 73 30 SECOND AVERAGING
 INTERVAL START: 21153100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.46E+03	25	0.	437	0.	280.3
4	2.65E+03	47	0.	706	0.	ALT (KM)
6	2.07E+03	67	0.	1011	0.	9.599
8	1.48E+03	97	0.	1316	0.	TEMP (C)
10	1.15E+03	128	0.	1622	0.	-41.5
12	9.34E+02	154	0.	1927	0.	FROSTPOINT
14	6.82E+02	183	0.	2233	0.	-43.2
16	7.00E+02	209	0.	2538	0.	TAS (M/S)
18	6.04E+02	239	0.	2843	0.	131.9
20	2.26E+02	269	0.	3149	0.	TEMP (C)
22	1.42E+02	299	0.	3454	0.	-41.5
24	9.34E+02	329	0.	3760	0.	FROSTPOINT
26	9.15E+02	359	0.	4065	0.	-43.2
28	3.20E+02	389	0.	4370	0.	TAS (M/S)
30	2.52E+02	419	0.	4676	0.	132.6
LWC	1.53E-03	0.	0.	0.	0.	TOTALS
MED D	15	0	0	0	0	0.

INTERVAL START: 21153130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.45E+03	26	0.	437	0.	281.0
4	2.93E+03	47	0.	706	0.	ALT (KM)
6	2.26E+03	67	0.	1011	0.	9.595
8	1.65E+03	97	0.	1316	0.	TEMP (C)
10	1.27E+03	128	0.	1622	0.	-41.5
12	9.57E+02	154	0.	1927	0.	FROSTPOINT
14	6.63E+02	183	0.	2233	0.	-43.2
16	7.63E+02	209	0.	2538	0.	TAS (M/S)
18	5.81E+02	239	0.	2843	0.	132.6
20	2.49E+02	269	0.	3149	0.	TOTALS
22	1.65E+02	299	0.	3454	0.	0.
24	9.11E+02	329	0.	3760	0.	0.
26	1.14E+02	359	0.	4065	0.	0.
28	6.39E+02	389	0.	4370	0.	0.
30	2.95E+02	419	0.	4676	0.	0.
LWC	1.69E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT E73-07 ON 16 MAR 75 30 SECOND AVERAGING
 INTERVAL START: 21154100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.99E+03	26	0.	437	0.	281.1
4	2.78E+03	47	0.	706	0.	ALT (KM)
6	2.06E+03	67	0.	1011	0.	9.591
8	1.69E+03	97	0.	1316	0.	TEMP (C)
10	1.31E+03	128	0.	1622	0.	-41.4
12	9.44E+02	154	0.	1927	0.	FROSTPOINT
14	5.75E+02	183	0.	2233	0.	-43.4
16	9.01E+02	209	0.	2538	0.	TAS (M/S)
18	5.69E+02	239	0.	2843	0.	132.7
20	3.03E+02	269	0.	3149	0.	TEMP (C)
22	1.75E+02	299	0.	3454	0.	-41.5
24	1.25E+02	329	0.	3760	0.	FROSTPOINT
26	9.73E+02	359	0.	4065	0.	-43.4
28	5.69E+02	389	0.	4370	0.	TAS (M/S)
30	2.05E+02	419	0.	4676	0.	132.7
LWC	1.63E-03	0.	0.	0.	0.	TOTALS
MED D	15	0	0	0	0	0.

INTERVAL START: 21154130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M*3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.53E+03	26	0.	437	0.	280.3
4	2.52E+03	47	0.	706	0.	ALT (KM)
6	1.79E+03	67	0.	1011	0.	9.597
8	1.33E+03	97	0.	1316	0.	TEMP (C)
10	8.99E+02	128	0.	1622	0.	-41.5
12	5.34E+02	154	0.	1927	0.	FROSTPOINT
14	4.23E+02	183	0.	2233	0.	-43.4
16	5.20E+02	209	0.	2538	0.	TAS (M/S)
18	4.32E+02	239	0.	2843	0.	132.9
20	1.39E+02	269	0.	3149	0.	TOTALS
22	9.40E+02	299	0.	3454	0.	0.
24	6.11E+02	329	0.	3760	0.	0.
26	9.59E+02	359	0.	4065	0.	0.
28	2.27E+02	389	0.	4370	0.	0.
30	1.15E+02	419	0.	4676	0.	0.
LWC	1.06E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT 27A-07 ON 18 MAR 74 30 SECOND AVERAGING

INTERVAL STARTS: 2155100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	4.89E+03	26	0.	437	0.	200.5
4	2.50E+03	47	0.	706	0.	ALT (KM)
6	1.50E+03	57	0.	1011	0.	9.607
8	1.24E+03	87	0.	1316	0.	TEMP (C)
10	2.34E+07	184	0.	1622	0.	-41.6
12	5.11E+07	128	0.	1927	0.	FROSTPOINT
14	3.30E+07	148	0.	2233	0.	-43.4
16	3.83E+07	163	0.	2536	0.	IAS (M/S)
18	2.67E+07	184	0.	2843	0.	132.4
20	3.12E+05	209	0.	3149	0.	TOTALS
22	8.67E+06	230	0.	3454	0.	0.
24	2.50E+05	259	0.	3760	0.	0.
26	2.51E+05	271	0.	4065	0.	0.
28	1.82E+05	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LWC	7.44E-04	0.	0.	0.	0.	0.
MED D	14	0	0	0	0	0

INTERVAL STARTS: 2155130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.35E+03	26	0.	437	0.	200.6
4	2.83E+03	47	0.	706	0.	ALT (KM)
6	1.97E+03	57	0.	1011	0.	9.604
8	1.44E+03	87	0.	1316	0.	TEMP (C)
10	3.66E+07	184	0.	1622	0.	-41.6
12	5.44E+07	128	0.	1927	0.	FROSTPOINT
14	4.35E+07	148	0.	2233	0.	-43.4
16	5.42E+07	163	0.	2536	0.	IAS (M/S)
18	4.10E+07	184	0.	2843	0.	132.0
20	2.01E+07	209	0.	3149	0.	TOTALS
22	3.38E+06	230	0.	3454	0.	0.
24	4.35E+05	259	0.	3760	0.	0.
26	5.26E+05	271	0.	4065	0.	0.
28	2.97E+05	291	0.	4370	0.	0.
30	6.66E+03	311	0.	4676	0.	0.
LWC	1.11E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT 27A-07 ON 18 MAR 74 30 SECOND AVERAGING

INTERVAL STARTS: 2155100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.87E+03	26	0.	437	0.	200.5
4	2.50E+03	47	0.	706	0.	ALT (KM)
6	1.84E+03	57	0.	1011	0.	9.607
8	1.34E+03	87	0.	1316	0.	TEMP (C)
10	5.23E+07	184	0.	1622	0.	-41.6
12	6.27E+07	128	0.	1927	0.	FROSTPOINT
14	4.71E+07	148	0.	2233	0.	-43.4
16	4.43E+07	163	0.	2536	0.	IAS (M/S)
18	4.08E+07	184	0.	2843	0.	131.5
20	1.64E+07	209	0.	3149	0.	TOTALS
22	8.72E+06	230	0.	3454	0.	0.
24	7.12E+05	259	0.	3760	0.	0.
26	4.13E+05	271	0.	4065	0.	0.
28	2.07E+05	291	0.	4370	0.	0.
30	9.18E+05	311	0.	4676	0.	0.
LWC	1.03E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

INTERVAL STARTS: 2155130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.66E+03	26	0.	437	0.	200.5
4	2.67E+03	47	0.	706	0.	ALT (KM)
6	1.85E+03	57	0.	1011	0.	9.606
8	1.44E+03	87	0.	1316	0.	TEMP (C)
10	3.15E+07	184	0.	1622	0.	-41.6
12	5.01E+07	128	0.	1927	0.	FROSTPOINT
14	4.62E+07	148	0.	2233	0.	-43.4
16	5.39E+07	163	0.	2536	0.	IAS (M/S)
18	4.31E+07	184	0.	2843	0.	131.7
20	1.67E+07	209	0.	3149	0.	TOTALS
22	1.15E+07	230	0.	3454	0.	0.
24	5.71E+05	259	0.	3760	0.	0.
26	4.62E+05	271	0.	4065	0.	0.
28	3.44E+05	291	0.	4370	0.	0.
30	9.14E+05	311	0.	4676	0.	0.
LWC	1.14E-03	0.	0.	0.	0.	0.
MED D	15	0	0	0	0	0

AFWL CIRRUS STUDY BY AFGL

FLIGHT E78-07 ON 18 MAR 76 30 SECOND AVERAGING
INTERVAL STARTS 2157100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	5.92E+03	26	0.	0.	273.0
4	2.50E+03	47	0.	0.	ALT (KM)
6	1.50E+03	57	0.	0.	3.643
8	1.15E+03	67	0.	0.	TEMP (C)
10	7.73E+02	108	0.	0.	-41.8
12	5.78E+02	128	0.	0.	FROSTPOINT
14	3.63E+02	148	0.	0.	-43.4
16	4.03E+02	153	0.	0.	TAS (M/S)
18	3.12E+02	183	0.	0.	123.4
20	1.47E+02	203	0.	0.	TOTALS
22	7.63E+01	230	0.	0.	0.
24	3.72E+01	250	0.	0.	0.
26	3.03E+01	271	0.	0.	0.
28	2.33E+01	291	0.	0.	0.
30	4.64E+01	311	0.	0.	0.
LWC	3.53E-04		0.	0.	0.
MED D	15		0	0	0

INTERVAL STARTS 2157130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	5.14E+03	26	0.	0.	275.2
4	2.70E+03	47	0.	0.	ALT (KM)
6	1.62E+03	57	0.	0.	3.662
8	1.14E+03	67	0.	0.	TEMP (C)
10	8.32E+02	108	0.	0.	-42.1
12	6.40E+02	128	0.	0.	FROSTPOINT
14	3.58E+02	148	0.	0.	-43.4
16	4.68E+02	153	0.	0.	TAS (M/S)
18	3.64E+02	183	0.	0.	127.5
20	1.68E+02	203	0.	0.	TOTALS
22	8.53E+01	230	0.	0.	0.
24	5.94E+01	250	0.	0.	0.
26	3.09E+01	271	0.	0.	0.
28	2.37E+01	291	0.	0.	0.
30	5.47E+01	311	0.	0.	0.
LWC	5.60E-04		0.	0.	0.
MED D	15		0	0	0

AFWL CIRRUS STUDY BY AFGL

FLIGHT E78-07 ON 18 MAR 76 30 SECOND AVERAGING
INTERVAL STARTS 2158100
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	4.62E+03	26	0.	0.	277.1
4	2.88E+03	47	0.	0.	ALT (KM)
6	1.61E+03	57	0.	0.	3.587
8	1.40E+03	67	0.	0.	TEMP (C)
10	1.04E+03	108	0.	0.	-42.3
12	7.81E+02	128	0.	0.	FROSTPOINT
14	4.22E+02	148	0.	0.	-43.4
16	5.54E+02	153	0.	0.	TAS (M/S)
18	3.95E+02	183	0.	0.	123.9
20	1.74E+02	203	0.	0.	TOTALS
22	1.37E+02	230	0.	0.	0.
24	7.67E+01	250	0.	0.	0.
26	5.03E+01	271	0.	0.	0.
28	3.59E+01	291	0.	0.	0.
30	1.92E+01	311	0.	0.	0.
LWC	1.15E-03		0.	0.	0.
MED D	15		0	0	0

INTERVAL STARTS 2158130
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.50E+03	26	0.	0.	275.6
4	2.63E+03	47	0.	0.	ALT (KM)
6	1.50E+03	57	0.	0.	9.724
8	1.05E+03	67	0.	0.	TEMP (C)
10	6.71E+02	108	0.	0.	-42.5
12	5.23E+02	128	0.	0.	FROSTPOINT
14	3.22E+02	148	0.	0.	-43.4
16	3.63E+02	153	0.	0.	TAS (M/S)
18	2.42E+02	183	0.	0.	123.9
20	7.32E+01	203	0.	0.	TOTALS
22	3.42E+01	230	0.	0.	0.
24	1.95E+01	250	0.	0.	0.
26	1.45E+01	271	0.	0.	0.
28	1.45E+01	291	0.	0.	0.
30	0.	311	0.	0.	0.
LWC	5.38E-04		0.	0.	0.
MED D	14		0	0	0

AFGL CIRRUS STUDY BY AFGL

FLIGHT 274-07 ON 10 MAR 79 30 SECOND AVERAGING
 INTERVAL START: 21159130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.30E+03	25	0.	437	0.	274.3
4	2.52E+03	47	0.	706	0.	ALT (KM)
6	1.36E+03	57	0.	1011	0.	9.762
8	1.02E+03	37	0.	1316	0.	TEMP (C)
10	6.54E+07	183	0.	1622	0.	-42.3
12	4.72E+07	126	0.	1927	0.	FROSTPOINT
14	2.79E+07	149	0.	2233	0.	-43.4
16	2.35E+07	153	0.	2538	0.	IAS (M/S)
18	1.70E+07	183	0.	2843	0.	122.7
20	5.90E+05	203	0.	3149	0.	TOTALS
22	2.70E+05	230	0.	3454	0.	0.
24	3.63E+05	250	0.	3760	0.	0.
26	1.23E+05	271	0.	4065	0.	0.
28	4.92E+05	291	0.	4370	0.	0.
30	7.35E+05	311	0.	4676	0.	0.
LMC	5.03E-04	0.	0.	0.	0.	0.
MED	0	0	0	0	0	0

52

AFGL CIRRUS STUDY BY AFGL

FLIGHT 274-07 ON 10 MAR 79 30 SECOND AVERAGING
 INTERVAL START: 22100130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.90E+03	25	0.	437	0.	272.3
4	2.10E+03	47	0.	706	0.	ALT (KM)
6	1.02E+03	57	0.	1011	0.	9.767
8	6.91E+07	97	0.	1316	0.	TEMP (C)
10	4.20E+07	126	0.	1622	0.	-42.6
12	2.80E+07	126	0.	1927	0.	FROSTPOINT
14	1.56E+07	149	0.	2233	0.	-43.4
16	1.43E+07	153	0.	2538	0.	IAS (M/S)
18	4.77E+05	183	0.	2843	0.	113.6
20	7.50E+05	203	0.	3149	0.	TOTALS
22	5.03E+05	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0.
26	0.	271	0.	4065	0.	0.
28	0.	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LMC	2.42E-04	0.	0.	0.	0.	0.
MED	0	0	0	0	0	0

INTERVAL START: 21159130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.15E+03	25	0.	437	0.	274.3
4	2.50E+03	47	0.	706	0.	ALT (KM)
6	1.33E+03	57	0.	1011	0.	9.762
8	3.50E+07	87	0.	1316	0.	TEMP (C)
10	5.62E+07	183	0.	1622	0.	-42.3
12	4.40E+07	126	0.	1927	0.	FROSTPOINT
14	2.64E+07	148	0.	2233	0.	-43.4
16	2.60E+07	153	0.	2538	0.	IAS (M/S)
18	1.57E+07	183	0.	2843	0.	121.3
20	4.28E+05	203	0.	3149	0.	TOTALS
22	1.78E+05	230	0.	3454	0.	0.
24	7.45E+05	250	0.	3760	0.	0.
26	7.46E+05	271	0.	4065	0.	0.
28	0.	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LMC	4.49E-04	0.	0.	0.	0.	0.
MED	0	0	0	0	0	0

INTERVAL START: 22100130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.34E+03	25	0.	437	0.	272.1
4	1.35E+03	47	0.	706	0.	ALT (KM)
6	3.72E+07	57	0.	1011	0.	9.387
8	2.32E+07	87	0.	1316	0.	TEMP (C)
10	9.43E+05	183	0.	1622	0.	-42.4
12	4.34E+05	126	0.	1927	0.	FROSTPOINT
14	2.54E+05	148	0.	2233	0.	-43.4
16	3.06E+05	159	0.	2538	0.	IAS (M/S)
18	5.03E+05	183	0.	2843	0.	115.2
20	0.	203	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0.
26	0.	271	0.	4065	0.	0.
28	0.	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LMC	6.98E-05	0.	0.	0.	0.	0.
MED	0	0	0	0	0	0

AFML CIRRUS STUDY BY AFGL

FLIGHT E79-07 ON 16 MAR 79 30 SECOND AVERAGING

INTERVAL START: 22101100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.12E+03	26	0.	437	0.	271.5
4	1.15E+08	47	0.	706	0.	ALT (KM)
6	2.64E+07	67	0.	1011	0.	9.822
8	1.69E+07	87	0.	1316	0.	TEMP (C)
10	6.67E+05	108	0.	1622	0.	-42.4
12	2.31E+05	128	0.	1927	0.	FROSTPOINT
14	7.70E+05	149	0.	2233	0.	-49.4
16	1.03E+05	169	0.	2538	0.	TAS (M/S)
18	2.57E+05	189	0.	2843	0.	117.6
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	4.98E-05		0.		0.	
MED	0		0		0	

AFML CIRRUS STUDY BY AFGL

FLIGHT E79-07 ON 16 MAR 79 30 SECOND AVERAGING

INTERVAL START: 22102100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.22E+03	26	0.	437	0.	270.6
4	7.12E+07	47	0.	706	0.	ALT (KM)
6	2.09E+05	67	0.	1011	0.	9.343
8	0.	87	0.	1316	0.	TEMP (C)
10	5.21E+05	108	0.	1622	0.	-42.4
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-49.4
16	0.	169	0.	2538	0.	TAS (M/S)
18	0.	189	0.	2843	0.	115.8
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.33E-05		0.		0.	
MED	0		0		0	

INTERVAL START: 22101130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.12E+03	26	0.	437	0.	271.0
4	9.75E+07	47	0.	706	0.	ALT (KM)
6	1.06E+07	67	0.	1011	0.	9.834
8	4.15E+05	87	0.	1316	0.	TEMP (C)
10	1.81E+05	108	0.	1622	0.	-42.4
12	1.03E+05	128	0.	1927	0.	FROSTPOINT
14	2.59E+05	148	0.	2233	0.	-49.4
16	0.	169	0.	2538	0.	TAS (M/S)
18	0.	189	0.	2843	0.	115.8
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	3.05E-05		0.		0.	
MED	0		0		0	

INTERVAL START: 22102130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.24E+03	26	0.	437	0.	269.9
4	7.87E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.359
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.3
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-49.4
16	0.	169	0.	2538	0.	TAS (M/S)
18	0.	189	0.	2843	0.	113.2
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	0.
24	0.	250	0.	3760	0.	0
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.39E-05		0.		0.	
MED	0		0		0	

AFAL CIRRHUS STUDY BY AFGL

FLIGHT 273-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22103100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.30E+03	25	0.	437	270.7
4	6.25E+07	47	0.	706	ALT (KM)
6	0.	57	0.	1011	9.324
8	0.	87	0.	1316	TEMP (C)
10	0.	108	0.	1622	-42.0
12	0.	128	0.	1927	FROSTPOINT
14	0.	148	0.	2233	-43.4
16	0.	168	0.	2538	TAS (M/S)
18	0.	188	0.	2843	112.7
20	0.	208	0.	3149	TOTALS
22	0.	228	0.	3454	0.
24	0.	248	0.	3760	0.
26	0.	268	0.	4065	0.
28	0.	288	0.	4370	0.
30	0.	308	0.	4676	0.
LWC	2.42E-05	0.	0.	0.	0.
MED D	1	0.	0.	0.	0.

INTERVAL START: 22104130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.30E+03	25	0.	437	272.1
4	6.25E+07	47	0.	706	ALT (KM)
6	0.	57	0.	1011	9.307
8	0.	87	0.	1316	TEMP (C)
10	0.	108	0.	1622	-42.0
12	0.	128	0.	1927	FROSTPOINT
14	0.	148	0.	2233	-43.4
16	0.	168	0.	2538	TAS (M/S)
18	0.	188	0.	2843	112.7
20	0.	208	0.	3149	TOTALS
22	0.	228	0.	3454	0.
24	0.	248	0.	3760	0.
26	0.	268	0.	4065	0.
28	0.	288	0.	4370	0.
30	0.	308	0.	4676	0.
LWC	2.38E-05	0.	0.	0.	0.
MED D	1	0.	0.	0.	0.

AFAL CIRRHUS STUDY BY AFGL

FLIGHT 273-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22104100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.35E+03	25	0.	437	271.4
4	6.34E+07	47	0.	706	ALT (KM)
6	0.	57	0.	1011	9.324
8	0.	87	0.	1316	TEMP (C)
10	0.	108	0.	1622	-42.1
12	0.	128	0.	1927	FROSTPOINT
14	0.	148	0.	2233	-43.4
16	0.	168	0.	2538	TAS (M/S)
18	0.	188	0.	2843	113.0
20	0.	208	0.	3149	TOTALS
22	0.	228	0.	3454	0.
24	0.	248	0.	3760	0.
26	0.	268	0.	4065	0.
28	0.	288	0.	4370	0.
30	0.	308	0.	4676	0.
LWC	2.45E-05	0.	0.	0.	0.
MED D	1	0.	0.	0.	0.

INTERVAL START: 22104130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	3.32E+03	25	0.	437	272.5
4	6.65E+07	47	0.	706	ALT (KM)
6	0.	57	0.	1011	9.798
8	0.	87	0.	1316	TEMP (C)
10	0.	108	0.	1622	-41.9
12	0.	128	0.	1927	FROSTPOINT
14	0.	148	0.	2233	-43.4
16	0.	168	0.	2538	TAS (M/S)
18	0.	188	0.	2843	113.7
20	0.	208	0.	3149	TOTALS
22	0.	228	0.	3454	0.
24	0.	248	0.	3760	0.
26	0.	268	0.	4065	0.
28	0.	288	0.	4370	0.
30	0.	308	0.	4676	0.
LWC	2.45E-05	0.	0.	0.	0.
MED D	1	0.	0.	0.	0.

AFGL CIRRUS STUDY BY AFGL

AFGL CIRRUS STUDY BY AFGL

FLIGHT F73-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22:05:00*

FLIGHT F78-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22:06:00*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSEPARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.33E+03	25	0.	437	0.	272.1
4	6.53E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.306
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.0
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-43.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	112.3
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.45E-05	0.	0	0	0.	TOTALS
MED D	1	0	0	0	0	0.

51

INTERVAL START: 22:05:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSEINTERVAL START: 22:06:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.43E+03	25	0.	437	0.	271.7
4	8.89E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.317
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.3
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-43.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	111.3
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.53E-05	0.	0	0	0.	TOTALS
MED D	1	0	0	0	0	0.

51

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.05E+03	25	0.	437	0.	274.0
4	1.01E+09	47	0.	706	0.	ALT (KM)
6	1.65E+07	67	0.	1011	0.	9.761
8	9.32E+05	87	0.	1316	0.	TEMP (C)
10	3.63E+05	108	0.	1622	0.	-42.5
12	5.17E+05	128	0.	1927	0.	FROSTPOINT
14	2.58E+05	148	0.	2233	0.	-43.4
16	2.57E+05	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	116.7
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	3.48E-05	2	0.	0	0.	TOTALS
MED D	2	0	0	0	0	0.

AFML CIRRUS STUDY BY AFGL

FLIGHT 273-07 ON 15 MAR 78 30 SECOND AVERAGING
 INTERVAL START: 22107100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.13E+03	26	0.	437	0.	273.1
4	9.92E+07	47	0.	705	0.	ALT (KM)
6	2.88E+05	67	0.	1011	0.	9.78
8	1.04E+05	87	0.	1315	0.	TEMP (C)
10	5.22E+05	108	0.	1622	0.	-42.4
12	0.	128	0.	1927	0.	2233
14	0.	148	0.	2233	0.	2538
16	0.	169	0.	2538	0.	FROSTPOINT
18	0.	189	0.	2843	0.	-49.4
20	0.	209	0.	3149	0.	TAS (M/S)
22	0.	230	0.	3454	0.	114.3
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.52E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

INTERVAL START: 22107130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.13E+03	26	0.	437	0.	272.5
4	9.76E+07	47	0.	705	0.	ALT (KM)
6	5.23E+05	67	0.	1011	0.	9.798
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.2
12	0.	128	0.	1927	0.	2233
14	0.	148	0.	2233	0.	2538
16	0.	169	0.	2538	0.	FROSTPOINT
18	0.	189	0.	2843	0.	-49.4
20	0.	209	0.	3149	0.	TAS (M/S)
22	0.	230	0.	3454	0.	114.1
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.40E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

AFML CIRRUS STUDY BY AFGL

FLIGHT 273-07 ON 16 MAR 78 30 SECOND AVERAGING
 INTERVAL START: 22108100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.22E+03	26	0.	437	0.	272.4
4	8.95E+07	47	1.00E+04	705	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.800
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.1
12	0.	128	0.	1927	0.	2233
14	0.	148	0.	2233	0.	2538
16	0.	169	0.	2538	0.	FROSTPOINT
18	0.	189	0.	2843	0.	-49.4
20	0.	209	0.	3149	0.	TAS (M/S)
22	0.	230	0.	3454	0.	113.4
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.40E-05	0.	3.36E-06	0.	0.	TOTALS
MED 0	2	33	0	0	0	3.96E-06

INTERVAL START: 22108130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.12E+03	26	0.	437	0.	272.5
4	9.49E+07	47	0.	705	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.798
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.0
12	0.	128	0.	1927	0.	2233
14	0.	148	0.	2233	0.	2538
16	0.	169	0.	2538	0.	FROSTPOINT
18	0.	189	0.	2843	0.	-49.4
20	0.	209	0.	3149	0.	TAS (M/S)
22	0.	230	0.	3454	0.	113.3
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.37E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

AFGL CIRRUS STUDY BY AFGL

FLIGHT 273-07 ON 18 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22103000
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.13E+03	26	0.	437	0.	271.3
4	9.61E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.813
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.2
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-43.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	112.3
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.42E-05	0.	0.	0.	0.	0.
MED D	2	0	0	0	0	0

INTERVAL START: 22103000
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.13E+03	26	0.	437	0.	271.3
4	9.61E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.813
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-42.2
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-43.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	112.3
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.38E-05	0.	0.	0.	0.	0.
MED D	1	0	0	0	0	0

AFGL CIRRUS STUDY BY AFGL

FLIGHT 273-07 ON 18 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22103000
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.13E+03	26	0.	437	0.	272.2
4	9.61E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.805
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-41.9
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-49.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	112.4
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.33E-05	0.	0.	0.	0.	0.
MED D	2	0	0	0	0	0

INTERVAL START: 22103000
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.27E+03	26	0.	437	0.	272.1
4	9.61E+07	47	0.	706	0.	ALT (KM)
6	0.	67	0.	1011	0.	9.807
8	0.	87	0.	1316	0.	TEMP (C)
10	0.	108	0.	1622	0.	-41.9
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-43.4
16	0.	169	0.	2538	0.	IAS (M/S)
18	0.	189	0.	2843	0.	112.3
20	0.	209	0.	3149	0.	TOTALS
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.42E-05	0.	0.	0.	0.	0.
MED D	1	0	0	0	0	0

AFAL CIRRUS STUDY BY AFGL

FLIGHT 178-07 ON 15 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22111300
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	3.02E+03	26	0.	437	0.	27.4
4	9.75E+07	47	0.	706	0.	ALT (KM)
5	2.57E+05	57	0.	1011	0.	9.751
8	1.80E+05	87	0.	1316	0.	TEMP (C)
10	2.59E+05	128	0.	1622	0.	-42.1
12	2.57E+05	128	0.	1927	0.	FROSTPOINT
14	2.56E+05	143	0.	2233	0.	-43.4
15	0.	153	0.	2538	0.	TAS (M/S)
18	0.	183	0.	2643	0.	115.5
20	0.	203	0.	3143	0.	115.5
22	0.	230	0.	3454	0.	115.5
24	0.	250	0.	3760	0.	115.5
26	0.	271	0.	4065	0.	115.5
28	0.	291	0.	4370	0.	115.5
30	0.	311	0.	4676	0.	115.5
LWC	2.57E-05	0.	0.	0.	0.	TOTALS
MEQ	0	0	0	0	0	0.

INTERVAL START: 22111300
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	3.02E+03	26	0.	437	0.	27.4
4	9.75E+07	47	0.	706	0.	ALT (KM)
5	2.57E+05	57	0.	1011	0.	9.751
8	1.80E+05	87	0.	1316	0.	TEMP (C)
10	2.59E+05	128	0.	1622	0.	-42.0
12	2.57E+05	128	0.	1927	0.	FROSTPOINT
14	0.	143	0.	2233	0.	-43.4
15	0.	153	0.	2538	0.	TAS (M/S)
18	0.	183	0.	2643	0.	115.5
20	0.	203	0.	3143	0.	115.5
22	0.	230	0.	3454	0.	115.5
24	0.	250	0.	3760	0.	115.5
26	0.	271	0.	4065	0.	115.5
28	0.	291	0.	4370	0.	115.5
30	0.	311	0.	4676	0.	115.5
LWC	2.56E-05	0.	0.	0.	0.	TOTALS
MEQ	0	0	0	0	0	0.

AFAL CIRRUS STUDY BY AFGL

FLIGHT 178-07 ON 15 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22112400
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	3.10E+03	26	0.	437	0.	27.4
4	9.75E+07	47	0.	706	0.	ALT (KM)
5	1.80E+05	57	0.	1011	0.	9.753
8	2.59E+05	87	0.	1316	0.	TEMP (C)
10	2.53E+05	108	0.	1622	0.	-42.2
12	2.63E+05	128	0.	1927	0.	FROSTPOINT
14	0.	143	0.	2233	0.	-43.4
15	0.	153	0.	2538	0.	TAS (M/S)
18	0.	183	0.	2643	0.	115.1
20	0.	203	0.	3143	0.	115.1
22	0.	230	0.	3454	0.	115.1
24	0.	250	0.	3760	0.	115.1
26	0.	271	0.	4065	0.	115.1
28	0.	291	0.	4370	0.	115.1
30	0.	311	0.	4676	0.	115.1
LWC	2.46E-05	0.	0.	0.	0.	TOTALS
MEQ	0	0	0	0	0	0.

INTERVAL START: 22112400
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (MM)	SCATTER PROBE	SIZE (MM)	CLOUD PROBE	SIZE (MM)	PRECIP PROBE	P (MB)
2	3.10E+03	26	0.	437	0.	27.7
4	9.95E+07	47	0.	706	0.	ALT (KM)
5	1.19E+05	57	0.	1011	0.	9.758
8	1.83E+05	87	0.	1316	0.	TEMP (C)
10	2.68E+05	128	0.	1622	0.	-42.8
12	0.	128	0.	1927	0.	FROSTPOINT
14	0.	143	0.	2233	0.	-43.4
15	0.	153	0.	2538	0.	TAS (M/S)
18	0.	183	0.	2643	0.	115.1
20	0.	203	0.	3143	0.	115.1
22	0.	230	0.	3454	0.	115.1
24	0.	250	0.	3760	0.	115.1
26	0.	271	0.	4065	0.	115.1
28	0.	291	0.	4370	0.	115.1
30	0.	311	0.	4676	0.	115.1
LWC	2.56E-05	0.	0.	0.	0.	TOTALS
MEQ	0	0	0	0	0	0.

AFAL CIRRUS STUDY BY AFGL

FLIGHT 473-07 ON 18 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22113100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	3.05E+03	26	0.	437	0.	273.9
4	1.05E+04	47	0.	706	0.	ALT (KM)
6	5.48E+05	67	0.	1011	0.	9.765
8	2.34E+05	87	0.	1316	0.	TEMP (C)
10	2.63E+05	108	0.	1622	0.	-43.1
12	2.60E+05	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-49.4
16	0.	168	0.	2538	0.	IAS (M/S)
18	0.	188	0.	2843	0.	115.4
20	0.	208	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.62E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

INTERVAL START: 22113100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	3.05E+03	26	0.	437	0.	273.9
4	9.72E+07	47	0.	706	0.	ALT (KM)
6	5.49E+05	67	0.	1011	0.	9.764
8	1.83E+05	87	0.	1316	0.	TEMP (C)
10	2.62E+05	108	0.	1622	0.	-43.0
12	7.84E+05	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-47.3
16	0.	168	0.	2538	0.	IAS (M/S)
18	0.	188	0.	2843	0.	115.4
20	0.	208	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.63E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

AFAL CIRRUS STUDY BY AFGL

FLIGHT 473-07 ON 18 MAR 75 30 SECOND AVERAGING
 INTERVAL START: 22114100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	3.01E+03	26	0.	437	0.	273.9
4	9.92E+07	47	0.	706	0.	ALT (KM)
6	3.91E+05	67	0.	1011	0.	9.765
8	1.64E+05	87	0.	1316	0.	TEMP (C)
10	2.65E+05	108	0.	1622	0.	-43.0
12	2.60E+05	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-45.6
16	0.	168	0.	2538	0.	IAS (M/S)
18	0.	188	0.	2843	0.	115.1
20	0.	208	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.51E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

INTERVAL START: 22114100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	3.00E+03	26	0.	437	0.	273.7
4	1.17E+08	47	0.	706	0.	ALT (KM)
6	1.33E+07	67	0.	1011	0.	9.763
8	6.25E+05	87	0.	1316	0.	TEMP (C)
10	2.08E+05	108	0.	1622	0.	-43.1
12	1.55E+05	128	0.	1927	0.	FROSTPOINT
14	0.	148	0.	2233	0.	-44.1
16	0.	168	0.	2538	0.	IAS (M/S)
18	0.	188	0.	2843	0.	116.0
20	0.	208	0.	3149	0.	
22	0.	230	0.	3454	0.	
24	0.	250	0.	3760	0.	
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	3.23E-05	0.	0.	0.	0.	TOTALS
MED 0	2	0	0	0	0	0.

AFML CIRRUS STUDY BY AF6L

FLIGHT E73-07 ON 16 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22115100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.98E+03	26	0.	437	0.	273.7
4	1.19E+03	47	0.	706	0.	ALT (KM)
6	1.55E+07	57	0.	1011	0.	9.763
8	8.29E+05	87	0.	1315	0.	
10	3.88E+06	138	0.	1622	0.	TEMP (C)
12	2.33E+05	126	0.	1927	0.	-43.3
14	1.23E+05	143	0.	2233	0.	
16	0.	159	0.	2538	0.	FROSTPOINT
18	0.	183	0.	2843	0.	-44.0
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	IAS (M/S)
24	0.	258	0.	3760	0.	115.5
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	3.65E-03	0.	0.	0.	0.	TOTALS
MED D	3	9	0	0	0	0.

INTERVAL START: 22115130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.95E+03	26	0.	437	0.	274.3
4	1.19E+03	47	0.	706	0.	ALT (KM)
6	2.00E+07	57	0.	1011	0.	9.762
8	8.54E+05	87	0.	1315	0.	
10	2.59E+05	138	0.	1622	0.	TEMP (C)
12	0.	126	0.	1927	0.	-43.3
14	2.60E+05	143	0.	2233	0.	
16	0.	159	0.	2538	0.	FROSTPOINT
18	5.20E+05	183	0.	2843	0.	-44.6
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	TAS (M/S)
24	0.	250	0.	3760	0.	115.5
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	3.53E-05	0.	0.	0.	0.	TOTALS
MED D	2	0	0	0	0	0.

AFML CIRRUS STUDY BY AF6L

FLIGHT E74-07 ON 16 MAR 74 30 SECOND AVERAGING
 INTERVAL START: 22115100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	3.00E+03	26	0.	437	0.	273.9
4	1.09E+03	47	0.	706	0.	ALT (KM)
6	1.04E+07	57	9.14E+03	1011	0.	9.763
8	7.01E+05	87	2.74E+03	1316	0.	
10	3.64E+05	138	5.29E+03	1622	0.	TEMP (C)
12	1.55E+05	126	4.11E+03	1927	0.	-43.1
14	5.19E+05	143	0.	2233	0.	
16	1.04E+05	159	0.	2538	0.	FROSTPOINT
18	0.	183	0.	2843	0.	-45.4
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	IAS (M/S)
24	0.	250	0.	3760	0.	115.2
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	7.81E+05	311	0.	4676	0.	
LWC	5.34E-05	0.	5.27E-05	0.	0.	TOTALS
MED D	7	58	0	0	0	58

INTERVAL START: 22115130*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.94E+03	26	0.	437	0.	273.3
4	1.09E+03	47	0.	706	0.	ALT (KM)
6	5.53E+05	57	0.	1011	0.	9.764
8	3.92E+05	87	0.	1316	0.	
10	7.83E+05	138	0.	1622	0.	TEMP (C)
12	0.	126	0.	1927	0.	-42.8
14	2.62E+05	143	0.	2233	0.	
16	0.	159	0.	2538	0.	FROSTPOINT
18	0.	183	0.	2843	0.	-45.8
20	0.	209	0.	3149	0.	
22	0.	230	0.	3454	0.	TAS (M/S)
24	0.	250	0.	3760	0.	115.5
26	0.	271	0.	4065	0.	
28	0.	291	0.	4370	0.	
30	0.	311	0.	4676	0.	
LWC	2.73E-05	0.	0.	0.	0.	TOTALS
MED D	2	0	0	0	0	0.

AFML CIRRUS STUDY BY AF6L

FLIGHT 678-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL START: 22:17:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	2.85E+03	25	3.77E+04	0.	273.8
4	1.22E+03	47	4.35E+04	0.	ALT (KM)
6	2.62E+07	57	6.37E+04	0.	3.763
8	2.09E+07	87	4.16E+04	0.	TEMP (C)
10	1.66E+07	108	1.52E+05	0.	1622
12	1.19E+07	129	9.63E+04	0.	-42.6
14	7.65E+05	148	8.15E+04	0.	FROSTPOINT
16	6.60E+05	163	1.53E+04	0.	2338
18	5.55E+05	183	2.25E+04	0.	-5.7
20	1.58E+05	209	4.27E+03	0.	TAS (M/S)
22	2.64E+05	230	2.35E+03	0.	114.5
24	7.91E+05	250	1.30E+03	0.	
26	4.49E+05	271	0.	0.	
28	1.85E+05	291	0.	0.	
30	2.11E+05	311	0.	0.	
LWC	3.00E-04		1.32E-03	0.	TOTALS
MED D	20		65	0	1.32E-03
					65

INTERVAL START: 22:17:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	2.75E+03	25	0.	2.01E+03	273.8
4	1.40E+03	47	1.39E+05	0.	ALT (KM)
6	4.11E+07	57	3.27E+04	0.	3.765
8	3.20E+07	87	2.78E+04	0.	TEMP (C)
10	2.49E+07	108	1.02E+05	0.	1622
12	1.63E+07	128	7.37E+04	0.	-2.5
14	1.14E+07	148	8.01E+04	0.	FROSTPOINT
16	1.09E+07	163	3.45E+04	0.	2533
18	6.61E+05	183	8.17E+04	0.	-22.0
20	2.92E+05	209	2.79E+04	0.	TAS (M/S)
22	3.16E+05	230	2.24E+04	0.	114.7
24	1.33E+05	250	3.35E+03	0.	
26	1.32E+05	271	3.97E+03	0.	
28	3.44E+05	291	4.01E+03	0.	
30	1.65E+05	311	3.54E+03	0.	
LWC	3.45E-04		2.38E-03	1.71E-03	TOTALS
MED D	17		81	191	4.10E-03
					104

AFML CIRRUS STUDY BY AF5L

FLIGHT 679-07 ON 18 MAR 78 30 SECOND AVERAGING
INTERVAL START: 22:18:00*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	2.55E+03	25	1.30E+05	7.39E+03	273.8
4	1.74E+03	47	2.10E+05	0.	ALT (KM)
6	7.15E+07	57	8.45E+04	0.	3.767
8	5.52E+07	87	9.36E+04	0.	TEMP (C)
10	3.55E+07	108	1.83E+05	0.	1522
12	2.67E+07	129	1.26E+05	0.	-42.7
14	1.73E+07	148	8.77E+04	0.	FROSTPOINT
16	1.76E+07	163	3.39E+04	0.	2536
18	1.09E+07	183	5.33E+04	0.	-4.3
20	6.54E+05	209	5.18E+04	0.	TAS (M/S)
22	4.54E+05	230	4.62E+04	0.	113.2
24	3.74E+05	250	2.24E+04	0.	
26	3.47E+05	271	1.82E+04	0.	
28	4.27E+05	291	1.8E+04	0.	
30	4.00E+05	311	1.34E+04	0.	
LWC	5.89E-04		4.22E-03	6.32E-03	TOTALS
MED D	18		90	191	1.05E-02
					157

INTERVAL START: 22:18:30*
PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	2.54E+03	25	1.46E+05	3.87E+02	275.6
4	1.54E+03	47	5.73E+04	3.45E+01	ALT (KM)
6	4.87E+07	57	1.07E+05	2.97E+00	9.723
8	3.63E+07	87	7.18E+04	1.21E+00	TEMP (C)
10	2.44E+07	108	1.16E+05	0.	-43.1
12	1.75E+07	129	7.49E+04	0.	FROSTPOINT
14	1.14E+07	148	3.38E+04	0.	-43.3
16	1.50E+07	169	4.54E+03	0.	TAS (M/S)
18	7.60E+05	189	2.13E+04	0.	113.7
20	4.82E+05	209	1.77E+04	0.	
22	4.55E+05	230	1.15E+04	0.	
24	3.57E+05	250	6.40E+03	0.	
26	2.03E+05	271	3.02E+03	0.	
28	2.03E+05	291	1.42E+03	0.	
30	2.78E+05	311	1.19E+03	0.	
LWC	4.08E-04		1.50E-03	5.69E-04	TOTALS
MED D	18		71	229	2.07E-03
					38

AFML CIRRUS STUDY BY AF6L

FLIGHT 673-07 ON 15 MAR 76 30 SECOND AVERAGING

INTERVAL START: 221910.0

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.66E+03	25	1.18E+05	437	3.23E+03	275.3
4	2.00E+03	47	1.55E+05	706	5.25E+02	ALT (KM)
6	1.04E+03	57	9.10E+04	1011	4.23E+01	9.707
8	5.73E+07	87	4.35E+04	1316	4.15E+00	TEMP (C)
10	5.89E+07	108	1.03E+05	1622	0.	-43.7
12	4.52E+07	128	4.02E+04	1927	0.	FROSTPOINT
14	2.82E+07	148	3.25E+04	2233	0.	-7.3
16	2.82E+07	168	6.73E+03	2538	0.	TAS (M/S)
18	1.53E+07	188	6.13E+03	2843	0.	123.9
20	9.56E+05	208	1.49E+04	3149	0.	TOTALS
22	8.64E+05	228	1.32E+04	3454	0.	7.83E-03
24	7.13E+05	250	1.32E+04	3760	0.	21+
26	5.90E+05	271	1.26E+04	4065	0.	
28	4.67E+05	291	6.73E+03	4370	0.	
30	3.68E+05	311	7.60E+03	4676	0.	
LWC	8.41E-04		1.45E-03		5.94E-03	
MED D	17		33		233	

INTERVAL START: 221910.0

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	1.40E+03	25	5.10E+05	437	4.23E+03	276.5
4	2.05E+03	47	9.38E+04	706	3.35E+02	ALT (KM)
6	1.17E+03	57	4.62E+04	1011	4.17E+01	9.701
8	5.91E+07	87	4.25E+04	1316	4.58E+00	TEMP (C)
10	5.24E+07	108	9.30E+04	1622	1.20E+00	-43.4
12	5.12E+07	128	3.55E+04	1927	0.35E-01	FROSTPOINT
14	2.78E+07	148	2.58E+04	2233	6.75E-01	-44.1
16	3.72E+07	168	9.83E+03	2538	0.	TAS (M/S)
18	2.41E+07	188	2.39E+04	2843	0.	125.5
20	1.83E+07	208	2.22E+04	3149	0.	TOTALS
22	1.07E+07	230	1.70E+04	3454	0.	5.44E-03
24	7.14E+05	250	1.42E+04	3760	0.	231
26	7.02E+05	271	1.48E+04	4065	0.	
28	5.94E+05	291	1.54E+04	4370	0.	
30	7.39E+05	311	1.29E+04	4676	0.	
LWC	1.08E-03		2.28E-03		5.44E-03	
MED D	19		105		231	

AFML CIRRUS STUDY BY AF5L

FLIGHT 673-07 ON 15 MAR 76 30 SECOND AVERAGING

INTERVAL START: 221201.0

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	9.38E+03	25	3.15E+04	437	6.52E+02	275.1
4	2.37E+03	47	6.75E+04	706	3.10E+01	ALT (KM)
6	1.43E+03	57	3.26E+04	1011	2.14E+00	9.66
8	1.03E+03	87	1.34E+04	1316	0.	TEMP (C)
10	8.03E+07	108	5.29E+04	1622	0.	-43.1
12	5.41E+07	128	3.36E+04	1927	0.	FROSTPOINT
14	4.30E+07	148	2.41E+04	2233	0.	-44.3
16	4.18E+07	168	6.14E+03	2538	0.	TAS (M/S)
18	4.21E+07	188	1.37E+04	2843	0.	130.5
20	1.85E+07	208	1.43E+04	3149	0.	
22	1.34E+07	230	1.43E+04	3454	0.	
24	1.15E+07	250	9.20E+03	3760	0.	
26	1.15E+07	271	6.31E+03	4065	0.	
28	7.62E+05	291	5.19E+03	4370	0.	
30	1.23E+07	311	4.04E+03	4676	0.	
LWC	1.51E-03		1.25E-03		9.39E-04	
MED D	19		95		203	

INTERVAL START: 221201.0

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	7.30E+03	25	5.20E+03	437	2.12E+02	278.3
4	2.43E+03	47	9.36E+04	706	0.	ALT (KM)
6	1.55E+03	57	9.24E+04	1011	0.	9.64
8	1.23E+03	87	4.79E+04	1316	0.	TEMP (C)
10	5.60E+07	108	9.11E+04	1622	5.76E-01	-43.0
12	5.60E+07	128	4.92E+04	1927	0.	FROSTPOINT
14	5.22E+07	148	3.04E+04	2233	0.	-45.8
16	4.85E+07	168	9.39E+03	2538	0.	TAS (M/S)
18	4.72E+07	188	1.27E+04	2843	0.	132.3
20	1.85E+07	208	1.47E+04	3149	0.	
22	1.84E+07	230	6.06E+03	3454	0.	
24	1.32E+07	250	1.13E+03	3760	0.	
26	1.07E+07	271	6.33E+02	4065	0.	
28	7.75E+05	291	4.24E+02	4370	0.	
30	8.65E+05	311	3.55E+02	4676	0.	
LWC	3.15E-03		1.05E-03		2.14E-04	
MED D	26		65		291	

AFWL CIRRUS STUDY BY AFGL

FLIGHT E73-07 ON 18 MAR 73 30 SECOND AVERAGING

INTERVAL STARTS: 2212100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	6.60E+03	25	2.25E+05	2.50E+02	280.2
4	2.44E+03	47	7.51E+04	4.59E-01	ALT (KM)
6	1.70E+03	57	7.53E+04	0.	9.614
8	1.19E+03	87	3.50E+04	0.	TEMP (C)
10	8.63E+02	105	8.50E+04	1622 0.	-2.8
12	6.93E+02	125	5.59E+04	1927 0.	FROSTPOINT
14	4.93E+02	145	3.33E+04	2233 0.	-45.4
16	5.22E+02	153	5.41E+03	2536 0.	IAS (M/S)
18	4.25E+02	153	1.75E+04	2843 0.	134.2
20	2.05E+02	203	1.73E+04	3149 0.	TOTALS
22	1.63E+02	230	9.01E+03	3454 0.	1.93E-04
24	1.21E+02	250	4.44E+03	3760 0.	192
26	1.24E+02	271	4.28E+03	4065 0.	132
28	1.21E+02	291	4.08E+03	4370 0.	
30	1.98E+02	311	2.77E+03	4676 0.	
LWC	1.62E-03		1.33E-03	1.93E-04	
MED D	20		77		

INTERVAL STARTS: 2212130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	5.17E+03	25	2.25E+05	6.71E+02	280.4
4	2.42E+03	47	6.77E+04	1.03E+01	ALT (KM)
6	1.68E+03	57	1.11E+05	0.	9.603
8	1.34E+03	87	5.44E+04	0.	TEMP (C)
10	8.65E+02	105	6.03E+04	1622 0.	-2.7
12	7.10E+02	125	5.23E+04	1927 0.	FROSTPOINT
14	5.11E+02	145	5.71E+04	2233 0.	-45.2
16	5.89E+02	153	1.39E+04	2536 0.	IAS (M/S)
18	5.20E+02	153	3.35E+04	2843 0.	134.0
20	2.64E+02	203	2.82E+04	3149 0.	TOTALS
22	2.16E+02	230	2.20E+04	3454 0.	6.12E-04
24	1.65E+02	250	6.91E+03	3760 0.	195
26	1.75E+02	271	7.44E+03	4065 0.	
28	1.51E+02	291	6.22E+03	4370 0.	
30	1.22E+02	311	4.56E+03	4676 0.	
LWC	2.05E-03		2.07E-03		
MED D	19		86		

AFWL CIRRUS STUDY BY AFGL

FLIGHT E73-07 ON 18 MAR 73 30 SECOND AVERAGING

INTERVAL STARTS: 22122100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	6.40E+03	25	6.43E+05	2.75E+03	281.0
4	2.57E+03	47	2.13E+05	2.75E+02	ALT (KM)
6	1.63E+03	57	7.19E+04	1.011	9.595
8	1.44E+03	87	6.35E+04	1316	TEMP (C)
10	3.58E+02	105	7.28E+04	1622 0.	-2.7
12	7.34E+02	125	5.47E+04	1927 0.	FROSTPOINT
14	4.77E+02	145	3.39E+04	2233 0.	-44.9
16	5.54E+02	153	6.53E+03	2536 0.	IAS (M/S)
18	4.35E+02	153	2.26E+04	2843 0.	132.9
20	2.37E+02	203	2.10E+04	3149 0.	
22	2.04E+02	230	1.31E+04	3454 0.	
24	1.61E+02	250	1.01E+04	3760 0.	
26	1.59E+02	271	9.34E+03	4065 0.	
28	1.23E+02	291	9.50E+03	4370 0.	
30	1.14E+02	311	6.08E+03	4676 0.	
LWC	1.83E-03		1.49E-03	3.34E-03	
MED D	19		91	226	

INTERVAL STARTS: 22122130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	8.52E+03	25	6.58E+04	7.33E+02	281.0
4	2.53E+03	47	0.	0.	ALT (KM)
6	1.73E+03	57	1.19E+04	1011	9.595
8	1.29E+03	87	0.	1316	TEMP (C)
10	8.27E+02	105	3.23E+03	1622 0.	-2.8
12	7.73E+02	125	3.51E+03	1927 0.	FROSTPOINT
14	4.20E+02	145	0.	2233 0.	-42.9
16	4.93E+02	153	2.38E+03	2536 0.	IAS (M/S)
18	3.55E+02	153	3.33E+03	2843 0.	133.6
20	1.49E+02	203	2.74E+03	3149 0.	TOTALS
22	1.36E+02	230	0.	3454 0.	6.26E-04
24	6.78E+02	250	2.29E+03	3760 0.	191
26	8.15E+02	271	1.32E+03	4065 0.	
28	2.49E+02	291	1.47E+03	4370 0.	
30	6.13E+02	311	1.33E+03	4676 0.	
LWC	1.21E-03		2.24E-04		
MED D	15		111		

AFML CIRRUS STUDY BY AFGL

FLIGHT E7A-07 ON 12 MAR 75 30 SECOND AVERAGING
 INTERVAL START: 2212100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.54E+03	25	0.	0.	240.8
4	2.42E+03	47	0.	0.	ALT (KM)
6	1.34E+03	67	0.	0.	3.600
8	1.03E+03	87	0.	0.	TEMP (C)
10	7.51E+02	106	0.	0.	1822
12	4.66E+02	126	0.	0.	1927
14	2.70E+02	146	4.37E+02	0.	2233
16	2.54E+02	169	0.	0.	2538
18	1.65E+02	189	0.	0.	2843
20	4.27E+05	209	0.	0.	3143
22	4.50E+05	230	0.	0.	3454
24	2.70E+05	250	0.	0.	3760
26	2.25E+05	271	0.	0.	4065
28	4.50E+05	291	0.	0.	4370
30	2.24E+05	311	0.	0.	4676
LWC	5.48E-04	3.71E-03	3.39E-21	0.	TOTALS
MED D	13	71	0	0	3.71E-06
					71

INTERVAL START: 22121300
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.64E+03	25	0.	0.	231.4
4	2.11E+03	47	0.	0.	ALT (KM)
6	1.21E+03	67	0.	0.	3.585
8	7.85E+02	87	4.79E+03	0.	TEMP (C)
10	4.83E+02	106	9.78E+03	0.	1622
12	3.48E+02	126	3.53E+03	0.	1927
14	2.34E+02	146	4.73E+03	0.	2233
16	2.46E+02	169	0.	0.	2538
18	1.68E+02	189	4.35E+02	0.	2843
20	3.87E+05	209	0.	0.	3149
22	5.25E+05	230	1.01E+03	0.	3454
24	1.60E+05	250	0.	0.	3760
26	2.95E+05	271	0.	0.	4065
28	1.37E+05	291	0.	0.	4370
30	1.16E+05	311	0.	0.	4676
LWC	5.24E-04	7.28E-05	0.	0.	TOTALS
MED D	14	57	0	0	7.28E-06
					57

AFML CIRRUS STUDY BY AFGL

FLIGHT E7A-07 ON 18 MAR 76 30 SECOND AVERAGING
 INTERVAL START: 2212100
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	7.52E+03	25	9.30E+04	1.23E+82	261.7
4	2.65E+03	47	3.93E+04	5.05E-01	ALT (KM)
6	1.63E+03	67	1.93E+04	0.	9.573
8	1.24E+03	87	7.30E+03	0.	TEMP (C)
10	3.42E+02	106	1.49E+04	0.	1622
12	5.78E+02	126	1.28E+04	0.	1927
14	4.63E+02	146	1.54E+04	0.	2233
16	4.81E+02	169	4.75E+03	0.	2538
18	4.24E+02	189	5.39E+03	0.	2843
20	2.06E+02	209	5.44E+03	0.	3149
22	1.44E+02	230	2.06E+03	0.	3454
24	9.72E+05	250	1.14E+03	0.	3760
26	5.10E+05	271	1.24E+03	0.	4065
28	6.71E+05	291	1.35E+03	0.	4370
30	4.40E+05	311	9.38E+02	0.	4676
LWC	1.32E-03	4.33E-04	3.13E-05	0.	TOTALS
MED D	17	83	0	0	5.24E-04
					83

INTERVAL START: 22124130
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)
 TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	9.78E+03	25	3.33E+04	0.	281.3
4	2.65E+03	47	0.	0.	ALT (KM)
6	1.70E+03	67	1.54E+04	0.	3.587
8	1.23E+03	87	0.	0.	TEMP (C)
10	6.66E+02	106	1.14E+04	0.	1622
12	5.61E+02	126	6.16E+03	0.	1927
14	3.95E+02	146	5.76E+03	0.	2233
16	4.07E+02	169	1.30E+03	0.	2538
18	3.77E+02	189	2.39E+03	0.	2843
20	1.32E+02	209	9.38E+02	0.	3149
22	1.04E+02	230	1.04E+03	0.	3454
24	7.41E+05	250	0.	0.	3760
26	5.80E+05	271	0.	0.	4065
28	3.23E+05	291	0.	0.	4370
30	1.33E+05	311	0.	0.	4676
LWC	1.02E-03	1.11E-04	3.39E-21	0.	TOTALS
MED D	15	69	0	0	1.31E-04
					69

AFML CIRRHUS STUDY BY AFGL

FLIGHT 274-07 ON 14 MAR 76 30 SECOND AVERAGING
 INTERVAL START: 22125100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	0.65E+03	25	0.	0.	282.3
4	2.83E+03	47	0.	0.	ALT (KM)
6	1.80E+03	57	0.	0.	9.565
8	1.34E+03	87	0.	0.	TEMP (C)
10	7.78E+07	108	0.	0.	1622
12	7.62E+07	128	0.	0.	1927
14	3.73E+07	143	0.	0.	2233
16	4.10E+07	159	0.	0.	2538
18	3.45E+07	183	0.	0.	2843
20	1.44E+07	203	0.	0.	3149
22	1.18E+07	230	0.	0.	3454
24	6.25E+05	250	0.	0.	3760
26	7.19E+05	271	0.	0.	4065
28	7.63E+05	291	0.	0.	4370
30	4.18E+05	311	0.	0.	4676
LWC	1.18E-03	0.	0.	0.	0.
MED D	15	0	0	0	0
TOTALS					

INTERVAL START: 22125100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	1.19E+03	25	0.	0.	281.9
4	2.78E+03	47	0.	0.	ALT (KM)
6	1.45E+03	57	0.	0.	9.574
8	1.04E+03	87	0.	0.	TEMP (C)
10	6.37E+07	108	0.	0.	1622
12	4.94E+07	128	0.	0.	1927
14	3.15E+07	143	0.	0.	2233
16	3.02E+07	159	0.	0.	2538
18	1.95E+07	183	0.	0.	2843
20	3.50E+05	203	0.	0.	3149
22	7.12E+05	230	0.	0.	3454
24	3.09E+05	250	0.	0.	3760
26	3.56E+05	271	0.	0.	4065
28	2.13E+05	291	0.	0.	4370
30	2.61E+05	311	0.	0.	4676
LWC	7.31E-04	0.	0.	0.	0.
MED D	15	0	0	0	0
TOTALS					

AFML CIRRHUS STUDY BY AFGL

FLIGHT 274-07 ON 14 MAR 76 30 SECOND AVERAGING
 INTERVAL START: 22126100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	8.22E+03	25	0.	0.	282.0
4	2.97E+03	47	0.34E+03	0.	ALT (KM)
6	1.80E+03	57	2.09E+04	0.	9.571
8	1.29E+03	87	7.49E+03	0.	TEMP (C)
10	9.15E+07	108	5.09E+03	0.	1622
12	5.53E+07	128	2.51E+03	0.	1927
14	4.02E+07	143	1.38E+03	0.	2233
16	4.85E+07	159	0.	0.	2538
18	3.09E+07	183	8.80E+02	0.	2843
20	1.62E+07	203	0.	0.	3149
22	1.07E+07	230	0.	0.	3454
24	6.65E+05	250	0.	0.	3760
26	5.23E+05	271	0.	0.	4065
28	2.61E+05	291	0.	0.	4370
30	3.09E+05	311	0.	0.	4676
LWC	1.06E-03	0.	6.23E-05	0.	0.
MED D	15	54	0	0	54
TOTALS					

INTERVAL START: 22126100*
 PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)
 TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	PRECIP PROBE	P (MB)
2	5.72E+03	25	6.75E+04	2.50E+02	281.8
4	2.81E+03	47	5.33E+04	0.	ALT (KM)
6	1.89E+03	57	7.08E+04	0.	9.575
8	1.48E+03	87	2.73E+04	0.	TEMP (C)
10	1.08E+03	108	7.59E+04	0.	1622
12	6.93E+07	128	2.00E+04	0.	1927
14	5.16E+07	143	1.77E+04	0.	2233
16	5.04E+07	159	6.49E+03	0.	2538
18	4.68E+07	183	6.38E+03	0.	2843
20	2.01E+07	203	5.74E+03	0.	3149
22	2.01E+07	230	2.10E+03	0.	3454
24	1.18E+07	250	1.17E+03	0.	3760
26	1.18E+07	271	7.65E+02	0.	4065
28	1.03E+07	291	5.00E+02	0.	4370
30	6.86E+06	311	4.55E+02	0.	4676
LWC	1.64E-03	0.	5.97E-04	2.14E-04	0.
MED D	18	63	131	74	74
TOTALS					

AFML CIRRUS STUDY BY AFGL

FLIGHT 678-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22127100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	3.57E+03	25	6.38E+05	437	1.77E+03	281.8
4	2.41E+03	47	1.59E+05	706	1.22E+02	ALT (KM)
6	1.64E+03	57	1.58E+05	1011	1.39E+01	9.577
8	1.19E+03	87	7.17E+04	1316	3.34E+00	TEMP (C)
10	7.49E+02	108	1.40E+05	1622	5.32E-01	-42.5
12	5.15E+02	128	8.10E+04	1927	2.52E+00	FROSTPOINT
14	4.55E+02	148	5.40E+04	2233	6.69E-01	-43.4
16	4.79E+02	169	1.70E+04	2538	0.	TAS (M/S)
18	3.84E+02	189	4.01E+04	2843	0.	128.1
20	2.62E+02	209	2.95E+04	3149	0.	TOTALS
22	1.58E+02	230	3.11E+04	3454	0.	5.46E-03
24	1.23E+02	250	1.05E+04	3760	0.	234
26	1.23E+02	271	4.98E+03	4065	0.	84
28	1.13E+02	291	2.53E+03	4370	0.	234
30	7.78E+05	311	6.15E+03	4676	0.	144
LMC	1.58E-03		2.55E-03			TOTALS
MED 0	18		84			1.01E-02
						203

AFML CIRRUS STUDY BY AFGL

FLIGHT 678-07 ON 18 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22128100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	1.21E+03	25	1.30E+05	437	4.81E+02	280.6
4	2.49E+03	47	3.42E+04	706	0.	ALT (KM)
6	1.36E+03	57	4.81E+04	1011	0.	9.584
8	9.70E+02	87	1.43E+04	1316	0.	TEMP (C)
10	6.42E+02	108	3.25E+04	1622	0.	-42.9
12	4.26E+02	128	1.80E+04	1927	0.	FROSTPOINT
14	2.64E+02	148	1.33E+04	2233	0.	-44.3
16	3.01E+02	169	4.58E+03	2538	0.	TAS (M/S)
18	2.78E+02	189	7.59E+03	2843	0.	132.5
20	1.23E+02	209	9.20E+03	3149	0.	TOTALS
22	8.43E+05	230	4.05E+03	3454	0.	9.70E-04
24	8.43E+05	250	2.25E+03	3760	0.	191
26	5.69E+05	271	1.47E+03	4065	0.	79
28	4.78E+05	291	9.53E+02	4370	0.	
30	2.73E+06	311	8.75E+02	4676	0.	
LMC	3.04E-04		5.59E-04			TOTALS
MED 0	17		79			1.85E-05
						73

INTERVAL START: 22127130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	7.82E+03	25	1.02E+05	437	4.72E+03	281.2
4	2.45E+03	47	2.34E+05	706	5.23E+02	ALT (KM)
6	1.91E+03	57	1.05E+05	1011	4.72E+01	9.591
8	1.36E+03	87	3.63E+04	1316	7.84E+00	TEMP (C)
10	9.65E+02	108	6.40E+04	1622	1.19E+00	-42.6
12	8.52E+02	128	5.22E+04	1927	6.29E-01	FROSTPOINT
14	4.25E+02	148	5.16E+04	2233	0.	-47.6
16	5.51E+02	169	6.65E+03	2538	0.	TAS (M/S)
18	4.68E+02	189	3.23E+04	2843	0.	131.6
20	1.95E+02	209	3.15E+04	3149	0.	TOTALS
22	1.77E+02	230	2.04E+04	3454	0.	7.53E-03
24	1.45E+02	250	7.31E+03	3760	0.	235
26	1.29E+02	271	1.11E+04	4065	0.	94
28	1.36E+02	291	1.56E+04	4370	0.	2.60E-03
30	9.21E+05	311	1.32E+04	4676	0.	2.35E-03
LMC	1.76E-03		2.60E-03			TOTALS
MED 0	18		94			1.01E-02
						203

INTERVAL START: 22128130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M³-MM)

TYPE: BULL-ROSE

SIZE (UM)	SCATTER PROBE	SIZE (UM)	CLOUD PROBE	SIZE (UM)	PRECIP PROBE	P (MB)
2	2.11E+03	25	0.	437	0.	281.4
4	2.01E+03	47	0.	706	0.	ALT (KM)
6	8.46E+02	57	0.	1011	0.	9.585
8	5.11E+02	87	0.	1316	0.	TEMP (C)
10	3.14E+02	108	1.52E+03	1622	0.	-42.7
12	1.94E+02	128	0.	1927	0.	FROSTPOINT
14	9.93E+05	148	1.89E+03	2233	0.	-45.9
16	1.13E+02	169	0.	2538	0.	TAS (M/S)
18	6.79E+05	189	0.	2843	0.	133.9
20	9.06E+05	209	9.17E+02	3149	0.	TOTALS
22	1.14E+05	230	0.	3454	0.	3.39E-21
24	0.	250	0.	3760	0.	0
26	4.55E+05	271	0.	4065	0.	1.85E-05
28	2.27E+05	291	0.	4370	0.	73
30	0.	311	0.	4676	0.	
LMC	2.17E-04		1.95E-05			TOTALS
MED 0	11		73			1.85E-05
						73

AFGL CIRRUS STUDY BY AFGL

FLIGHT 771-07 ON 14 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22129100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.24E+03	26	0.	437	0.	297.6
4	1.64E+08	47	0.	706	0.	ALT (KM)
6	5.08E+07	57	0.	1011	0.	3.216
8	4.89E+07	87	0.	1316	0.	TEMP (C)
10	3.63E+07	102	0.	1622	0.	TEMP (C)
12	1.90E+07	129	0.	1927	0.	-40.7
14	1.07E+07	148	0.	2233	0.	FROSTPOINT
16	1.04E+07	153	0.	2538	0.	-47.8
18	5.76E+06	183	0.	2843	0.	IAS (M/S)
20	5.33E+05	203	0.	3149	0.	141.5
22	4.23E+05	230	0.	3454	0.	TOTALS
24	4.22E+05	250	0.	3760	0.	LWC 1.90E+04
26	0.	271	0.	4065	0.	MED D 11
28	0.	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LWC	1.90E+04	0.	0.	0.	0.	0.
MED D	11	0.	0.	0.	0.	0.

AFGL CIRRUS STUDY BY AFGL

FLIGHT 771-07 ON 14 MAR 78 30 SECOND AVERAGING

INTERVAL START: 22130100*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.13E+03	26	0.	437	0.	341.9
4	1.52E+08	47	0.	706	0.	ALT (KM)
6	5.87E+07	57	0.	1011	0.	8.278
8	3.54E+07	87	0.	1316	0.	TEMP (C)
10	2.31E+07	108	0.	1622	0.	TEMP (C)
12	1.29E+07	128	1.06E+03	1927	0.	-34.9
14	7.37E+05	148	0.	2233	0.	FROSTPOINT
16	7.17E+05	163	0.	2538	0.	-49.4
18	4.71E+05	183	0.	2843	0.	IAS (M/S)
20	1.43E+05	203	0.	3149	0.	147.5
22	6.14E+05	230	0.	3454	0.	TOTALS
24	0.	250	0.	3760	0.	LWC 2.13E-04
26	0.	271	0.	4065	0.	MED D 14
28	4.09E+05	291	0.	4370	0.	0.
30	2.66E+05	311	0.	4676	0.	0.
LWC	2.13E-04	0.	3.19E-05	0.	3.19E-06	3.19E-06
MED D	14	65	0.	0.	0.	65

INTERVAL START: 22129130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.13E+03	26	0.	437	0.	318.7
4	1.56E+08	47	0.	706	0.	ALT (KM)
6	5.83E+07	57	0.	1011	0.	8.755
8	3.99E+07	87	0.	1316	0.	TEMP (C)
10	2.47E+07	108	0.	1622	0.	-38.3
12	1.83E+07	128	0.	1927	0.	FROSTPOINT
14	9.34E+05	148	0.	2233	0.	-48.3
16	7.05E+05	163	0.	2538	0.	IAS (M/S)
18	4.56E+05	183	0.	2843	0.	145.5
20	2.07E+05	203	0.	3149	0.	TOTALS
22	1.04E+05	230	0.	3454	0.	LWC 1.90E-04
24	6.23E+05	250	0.	3760	0.	MED D 12
26	6.22E+05	271	0.	4065	0.	0.
28	2.07E+05	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LWC	1.90E-04	0.	0.	0.	0.	0.
MED D	12	0.	0.	0.	0.	0.

INTERVAL START: 22130130*

PARTICLE SIZE DISTRIBUTIONS (NUMBER/M**3-MM)

TYPE: BULL-ROSE

SIZE (MU)	SCATTER PROBE	SIZE (MU)	CLOUD PROBE	SIZE (MU)	PRECIP PROBE	P (MB)
2	2.07E+03	26	0.	437	0.	363.8
4	1.60E+08	47	0.	706	0.	ALT (KM)
6	7.27E+07	57	3.56E+03	1011	0.	7.847
8	4.71E+07	87	0.	1316	0.	TEMP (C)
10	3.04E+07	108	0.	1622	0.	-32.4
12	1.73E+07	128	0.	1927	0.	FROSTPOINT
14	1.12E+07	148	0.	2233	0.	-49.4
16	1.20E+07	163	0.	2538	0.	IAS (M/S)
18	4.05E+05	183	0.	2843	0.	142.9
20	1.44E+05	203	0.	3149	0.	TOTALS
22	6.33E+05	230	0.	3454	0.	LWC 2.13E-04
24	6.32E+05	250	0.	3760	0.	MED D 12
26	6.30E+05	271	0.	4065	0.	0.
28	2.11E+05	291	0.	4370	0.	0.
30	0.	311	0.	4676	0.	0.
LWC	2.13E-04	0.	2.97E-05	0.	0.	2.97E-06
MED D	12	42	0.	0.	0.	42